## NSN 5905-00-678-0113

Nonprecision Wire Wound Variable Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-00-678-0113 **Section Quantity:** 1 **Body Style:** Rectangular w/mounting holes/slots **Reliability Indicator:** Not established **Overall Length:** Between 1.282 inches and 1.312 inches **Overall Height:** Between 0.505 inches and 0.515 inches **Overall Width:** Between 0.265 inches and 0.275 inches **Mounting Hole Diameter:** 0.089 inches **Shaft Diameter:** 0.125 inches **Shaft Length:** 0.047 inches **Body Length:** Between 1.245 inches and 1.255 inches **Body Width:** Between 0.265 inches and 0.275 inches **Body Height:** Between 0.505 inches and 0.515 inches **Shaft Style:** Round, slotted **Actuator Type:** Single shaft **Lateral Distance Between Mounting Hole Centers:** Between 0.997 inches and 1.003 inches **Mounting Facility Quantity: Terminal Location:** Rear end **Mounting Method:** Unthreaded hole **Electrical Resistance Per Section:** 100.000 ohms single section **Power Dissipation Rating Per Section In Watts:** 

1.0 free air single section

**Resistance Tolerance Per Section In Percent:** 

-5.0 to 5.0 single section

## NSN 5905-00-678-0113

Nonprecision Wire Wound Variable Resistor - Page 2 of 2



Standard Taper Curve Per Section
A single section
Terminal Type And Quantity:
3 wire lead
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: A002a0