NSN 5905-00-681-0785

Nonprecision Wire Wound Variable Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-00-681-0785 **Section Quantity: Shaft Diameter:** 0.250 inches **Shaft Length:** 0.688 inches **Shaft Style:** Round **Actuator Type:** Single shaft **Screw Thread Diameter:** 0.164 inches **Screw Thread Series Designator:** Unc Screw Thready Qty Per Inch (tpi): 32.0 **Mounting Facility Quantity: Mounting Method:** Threaded hole **Features Provided:** Nonmetallic shaft **Electrical Resistance Per Section:** 20.000 kilohms single section **Function Conformity Tolerance Per Section:** -0.20/+0.20 single section **Power Dissipation Rating Per Section In Watts:** 4.0 free air single section **Function Conformity Per Section:** Single section independent linearity **Fixed Tap Quantity Per Section:** 1 single section **Tap Location Tolerance Per Section:** -0.5/+0.5 degrees angular rotation single section **Resistance Tolerance Per Section In Percent:** -5.0/+5.0 single section **Tap Location From Ccw Terminal Per Section In Ohms:** 10000.0 single section **Function Characteristic Per Section:** Single section linear **Special Features:**

Mtg holes spaced 120 degrees apart on 0.625 in. Radius

NSN 5905-00-681-0785

Nonprecision Wire Wound Variable Resistor - Page 2 of 2



Terminal Type And Quantity:
4 solder stud
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:

A002a0