Nonprecision Wire Wound Variable Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-00-681-5653

## Section Quantity:

1

Body Style:

Cylindrical hole/slot mounted

# **Reliability Indicator:**

Not established

## Body Diameter:

1.250 inches

### Mounting Hole Diameter:

0.112 inches

### Shaft Diameter:

0.250 inches

### Shaft Length:

0.625 inches

### Body Length:

0.625 inches

# Mounting Hole/stud Circle Diameter:

0.750 inches

## Shaft Style:

Round

# Actuator Type:

Single shaft

# **Mounting Facility Quantity:**

2

#### **Terminal Location:**

Radially positioned over less than half the circumference

# **Mounting Method:**

Unthreaded hole

#### **Features Provided:**

Nonmetallic shaft

#### **Electrical Resistance Per Section:**

2.000 ohms single section

# Power Dissipation Rating Per Section In Watts:

3.5 free air single section

# **Resistance Tolerance Per Section In Percent:**

-5.0 to 5.0 single section

# Standard Taper Curve Per Section:

A single section

### **Terminal Type And Quantity:**

3 solder stud

### Shelf Life:

N/a

Nonprecision Wire Wound Variable Resistor - Page 2 of 2



Unit Of Measure:

---

Demilitarization:

No

Fiig:

A002a0