## NSN 5905-00-681-8826

Nonprecision Wire Wound Variable Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-00-681-8826

Section Quantity:			
1			
Body Style:			
Rectangular w/mounting holes/slots			
Reliability Indicator:			
Not established			
Overall Length:			
1.370 inches			
Overall Height:			
0.532 inches			
Overall Width:			
0.300 inches			
Mounting Hole Diameter:			
0.086 inches			
Shaft Diameter:			
0.125 inches			
Shaft Length:			
0.030 inches			
Body Length:			
1.340 inches			
Body Width:			
0.300 inches			
Body Height:			
0.360 inches			
Shaft Style:			
Round, slotted			
Actuator Type:			
Single shaft			
Lateral Distance Between Mounting Hole Centers:			
1.000 inches			
Mounting Facility Quantity:			
2			
Terminal Location:			
Lower adjacent side two rows			
Mounting Method:			
Unthreaded hole			
Center To Center Distance Between Terminal Rows:			
0.100 inches			
Electrical Resistance Per Section:			
200.000 ohms single section			
Power Dissipation Rating Per Section In Watts:			
O O free air single postion			

0.8 free air single section

## NSN 5905-00-681-8826

Nonprecision Wire Wound Variable Resistor - Page 2 of 2



Resistance	Tolerance	Per Section	In Percent

-10.0 to 10.0 single section

Ambient Tempurature In Deg Celsius Per Section At Full Rated Power:

125.0 single section

**Standard Taper Curve Per Section:** 

A single section

**Terminal Type And Quantity:** 

3 tab, solder lug

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A002a0