NSN 5905-00-682-0083

Nonprecision Wire Wound Variable Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-00-682-0083

Ocation Occupitor
Section Quantity:
1
Body Style:
Rectangular w/mounting holes/slots
Reliability Indicator:
Not established
Overall Length:
1.313 inches
Overall Height:
0.375 inches
Overall Width:
0.250 inches
Shaft Diameter:
0.125 inches
Shaft Length:
0.063 inches
Body Length:
1.250 inches
Body Width:
0.250 inches
Body Height:
0.375 inches
Shaft Style:
Round, slotted
Actuator Type:
Single shaft
Lateral Distance Between Mounting Hole Centers:
1.000 inches
Screw Thread Diameter:
0.086 inches
Screw Thread Series Designator:
Unc
Screw Thready Qty Per Inch (tpi):
56.0
Mounting Facility Quantity:
2
Terminal Location:
Lower adjacent side single row
Mounting Method:
Threaded hole
Electrical Resistance Per Section:
35.000 kilohms single section

NSN 5905-00-682-0083

Nonprecision Wire Wound Variable Resistor - Page 2 of 2



Power Dissipation Rating Per Section In Watts:
0.4 free air single section
Resistance Tolerance Per Section In Percent:
-5.0 to 5.0 single section
Standard Taper Curve Per Section:
A single section
Terminal Type And Quantity:
3 wire lead
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: A002a0