NSN 5905-00-682-0248

Film Fixed Resistor - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5905-00-682-0248

Electrical Resistance: 32.500 kilohms Resistance Tolerance In Percent: 41.000/+1.000 Ambient Tempurature In Deg Celsius At Full Rated Power: 77.0 Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 150.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: 55.0/+150.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: 65.0/+150.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: 65.0/+150.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: 65.0/+150.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: 65.0/+150.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: 65.0/+150.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: 65.0/+150.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: 65.0/+150.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: 65.0/+150.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: 65.0/+150.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: 65.0/+150.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: 65.0/+150.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: 65.0/+150.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: 65.0/+150.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: 65.0/+150.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: 65.0/+150.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: 65.0/+150.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: 65.0/+150.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: 65.0/+150.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: 65.0/+150.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: 65.0/+150.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: 65.0/+150.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: 65.0/+150.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: 65.0/+150.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: 65.0/+150.0 Tempu
Resistance Tolerance In Percent: 1.1.000/+1.000 Ambient Tempurature In Deg Celsius At Full Rated Power: 70.0 Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 150.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: 55.0/+150.0 Inclosure Method: Encapsulated Terminal Type: Wire lead Reliability Indicator: Not established Body Diameter: 0.375 inches Body Length: 2.187 inches Power Dissipation Rating In Watts:
Resistance Tolerance In Percent: 1.1.000/+1.000 Ambient Tempurature In Deg Celsius At Full Rated Power: 70.0 Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 150.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: 55.0/+150.0 Inclosure Method: Encapsulated Terminal Type: Wire lead Reliability Indicator: Not established Body Diameter: 0.375 inches Body Length: 2.187 inches Power Dissipation Rating In Watts:
Ambient Tempurature In Deg Celsius At Full Rated Power: 70.0 Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 150.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: 155.0/+150.0 Inclosure Method: Encapsulated Terminal Type: Wire lead Reliability Indicator: Not established Body Diameter: 0.375 inches Body Length: 2.187 inches Power Dissipation Rating In Watts:
Ambient Tempurature In Deg Celsius At Full Rated Power: 70.0 Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 150.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: 155.0/+150.0 Inclosure Method: Encapsulated Terminal Type: Wire lead Reliability Indicator: Not established Body Diameter: 10.375 inches Body Length: 2.187 inches Power Dissipation Rating In Watts: 2.000 free air
Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 150.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: 155.0/+150.0 Inclosure Method: Encapsulated Terminal Type: Wire lead Reliability Indicator: Not established Body Diameter: 0.375 inches Body Length: 2.187 inches Power Dissipation Rating In Watts:
Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 150.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: 155.0/+150.0 Inclosure Method: Incapsulated Terminal Type: Wire lead Reliability Indicator: Not established Body Diameter: 0.375 inches Body Length: 2.187 inches Power Dissipation Rating In Watts:
Informer Range Of Tempurature Coefficient In Deg Celsius: 155.0/+150.0 Inclosure Method: Encapsulated Incrimal Type: Wire lead Reliability Indicator: Not established Body Diameter: 10.375 inches Body Length: 2.187 inches Power Dissipation Rating In Watts: 2.000 free air
Fempurature Range Of Tempurature Coefficient In Deg Celsius: 55.0/+150.0 Inclosure Method: Encapsulated Ferminal Type: Wire lead Reliability Indicator: Not established Body Diameter: 0.375 inches Body Length: 2.187 inches Power Dissipation Rating In Watts: 2.000 free air
inclosure Method: Encapsulated Ferminal Type: Wire lead Reliability Indicator: Not established Body Diameter: 0.375 inches Body Length: 2.187 inches Power Dissipation Rating In Watts: 2.000 free air
Inclosure Method: Encapsulated Ferminal Type: Wire lead Reliability Indicator: Not established Body Diameter: 0.375 inches Body Length: 2.187 inches Power Dissipation Rating In Watts: 2.000 free air
Encapsulated Ferminal Type: Wire lead Reliability Indicator: Not established Body Diameter: 0.375 inches Body Length: 2.187 inches Power Dissipation Rating In Watts:
Ferminal Type: Wire lead Reliability Indicator: Not established Body Diameter: 0.375 inches Body Length: 2.187 inches Power Dissipation Rating In Watts:
Wire lead Reliability Indicator: Not established Body Diameter: 0.375 inches Body Length: 2.187 inches Power Dissipation Rating In Watts:
Reliability Indicator: Not established Body Diameter: 0.375 inches Body Length: 2.187 inches Power Dissipation Rating In Watts: 2.000 free air
Not established Body Diameter: 0.375 inches Body Length: 2.187 inches Power Dissipation Rating In Watts: 2.000 free air
Body Diameter: 0.375 inches Body Length: 2.187 inches Power Dissipation Rating In Watts: 2.000 free air
2.375 inches Body Length: 2.187 inches Power Dissipation Rating In Watts: 2.000 free air
Body Length: 2.187 inches Power Dissipation Rating In Watts: 2.000 free air
2.187 inches Power Dissipation Rating In Watts: 2.000 free air
Power Dissipation Rating In Watts: 2.000 free air
2.000 free air
Style Designator:
Axial terminal each end
Test Data Document:
31349-mil-r-10509 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification
format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain
environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).
Specification Data:
31349-mil-r-10509/6 government specification
Shelf Life:
N/a
Unit Of Measure:
-
Demilitarization:
No
Filg:
A001a0