

View Online at https://aerobasegroup.com/nsn/5905-00-683-2229

# Section Quantity:

1

Body Style:

Cylindrical bushing mounted

# **Reliability Indicator:**

Not established

#### **Overall Length:**

2.812 inches

#### **Body Diameter:**

2.000 inches

Shaft Diameter:

Between 0.2494 inches and 0.2497 inches

Shaft Length:

0.812 inches

#### Mounting Bushing Length:

# 0.312 inches

Body Length:

1.812 inches

Shaft Style:

Round

Shaft Bearing Type:

Sleeve

#### Actuator Type:

Single shaft

## Effective Electrical Rotation In Deg Angular Rotation:

3600.0

## Maximum Starting Torque:

3.00 inch-ounces

## Maximum Running Torque:

3.00 inch-ounces

#### Maximum Stop Torque:

550.00 inch-ounces

#### Nonturn Device Location:

At 6 oclock

## Nonturn Device Radius:

0.562 inches

## Shaft End Play:

0.00500 inches

## Shaft Runout:

0.0005 inches

## Lateral Runout:

0.003 inches



**Pilot Diameter Runout:** 0.00200 inches Shaft Radial Play: 0.003 inches Screw Thread Diameter: 0.375 inches Screw Thread Series Designator: Unef Screw Thready Qty Per Inch (tpi): 32.0 **Terminal Location:** Longitudinally positioned on the circumference **Mounting Method:** Standard bushing **Features Provided:** Nonmetallic shaft **Electrical Resistance Per Section:** 5.000 kilohms single section **Rotary Actuator Travel In Angular Deg:** 3600.0 **Function Conformity Tolerance Per Section:** -0.50/+0.50 single section Ambient Tempurature In Deg Celsius Per Section At Zero Percent Rated Power: 85.0 single section **Power Dissipation Rating Per Section In Watts:** 5.0 free air single section **Function Conformity Per Section:** Single section independent linearity **Resistance Tolerance Per Section In Percent:** -3.0/+3.0 single section **Actuator Travel Control Feature:** Continuous motion **Function Characteristic Per Section:** Single section linear Tempurature Coefficient Of Resistance Wire Per Section In Ppm Per Deg Celsius: -0.0/+130.0 single section Ambient Tempurature In Deg Celsius Per Section At Full Rated Power: 40.0 single section **Terminal Type And Quantity:** 3 tab, solder lug Shelf Life: N/a

Unit Of Measure:

---



Demilitarization:

No

Fiig:

A002a0