## NSN 5905-00-689-9543

Nonprecision Wire Wound Variable Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-00-689-9543

Section Quantity:
Body Style:
Rectangular  Politabilities to allocations
Reliability Indicator:
Not established
Overall Length: 0.312 inches
Terminal Length: 1.000 inches
Overall Height:
0.312 inches
Overall Width:
1.218 inches
Body Length:
0.312 inches
Body Width:
0.234 inches
Body Height:
0.312 inches
Actuator Type:
Flush drive with slot-hole
Maximum Starting Torque:
4.00 inch-ounces
Terminal Location:
Rear end
Mounting Method:
Terminal
Electrical Resistance Per Section:
100.0 ohms single section
Rotary Actuator Travel In Angular Deg:
300.0
Ambient Tempurature In Deg Celsius Per Section At Zero Percent Rated Power:
150.0 single section
Tempurature Coefficient Of Resistance Per Section In Ppm Per Deg Celsius:
-70.0 to 70.0 single section
Power Dissipation Rating Per Section In Watts:
0.6 free air all sections
Resistance Tolerance Per Section In Percent:
-5.0 to 5.0 single section
Actuator Travel Control Feature:
Stops

## NSN 5905-00-689-9543

Nonprecision Wire Wound Variable Resistor - Page 2 of 2



Ambient Tempurature In Deg Celsius Per Section At Full Rated Power
60.0 single section
Standard Taper Curve Per Section:
A single section

**Terminal Type And Quantity:** 

3 tab, solder lug

Shelf Life:

N/a

**Unit Of Measure:** 

Demilitarization:

No

Fiig:

A002a0