NSN 5905-00-723-4688

Noninductive Wire Wound Fixed Resistor - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5905-00-723-4688

6.000 ohms Resistance Tolerance In Percent: -1.000/+1.000 Ambient Tempurature In Deg Celsius At Full Rated Power: 125.0 Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 145.0 Inclosure Method: Encapsulated Terminal Type: Tab, solder lug
-1.000/+1.000 Ambient Tempurature In Deg Celsius At Full Rated Power: 125.0 Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 145.0 Inclosure Method: Encapsulated Terminal Type: Tab, solder lug
Ambient Tempurature In Deg Celsius At Full Rated Power: 125.0 Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 145.0 Inclosure Method: Encapsulated Terminal Type: Tab, solder lug
Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 145.0 Inclosure Method: Encapsulated Terminal Type: Tab, solder lug
Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 145.0 Inclosure Method: Encapsulated Terminal Type: Tab, solder lug
145.0 Inclosure Method: Encapsulated Terminal Type: Tab, solder lug
Inclosure Method: Encapsulated Terminal Type: Tab, solder lug
Encapsulated Terminal Type: Tab, solder lug
Terminal Type: Tab, solder lug
Tab, solder lug
Terminal Length:
0.375 inches
Body Diameter:
0.500 inches
Body Length:
0.500 inches
Power Dissipation Rating In Watts:
0.250 free air
Style Designator:
Radial terminal each end
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A001a0