## NSN 5905-00-726-7868

-50.0/+50.0

1.000 ohms

-1.000/+1.000

**Electrical Resistance:** 

**Resistance Tolerance In Percent:** 

Noninductive Wire Wound Fixed Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-00-726-7868

**Tempurature Coefficient Of Resistance In Ppm Per Deg Celsius:** 

Ambient Tempurature In Deg Celsius At Full Rated Power:						
25.0						
Ambient Tempurature In Deg Celsius At Zero Percent Rated Power:						
275.0						
Tempurature Range Of Tempurature Coefficient In Deg Celsius:						
-55.0/+275.0						
Inclosure Method:						
Encased						
Terminal Type:						
Threaded stud						
Reliability Indicator:						
Not established						
Terminal Length:						
1.250 inches						
Body Length:						
4.500 inches						
Body Width:						
2.125 inches						
Body Height:						
2.188 inches						
Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:						
3.875 inches						
Power Dissipation Rating In Watts:						
75.000 free air						
Terminal Width:						
0.250 inches						
Mounting Hole Size:						
0.188 inches						
Style Designator:						
Axial terminal (s)						
Test Data Document:						
81349-mil-r-18546 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification						
ormat; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain						
environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).						
Specification Data:						
81349-mil-r-18546/2 government specification						
Shelf Life:						
N/a						

## NSN 5905-00-726-7868

Noninductive Wire Wound Fixed Resistor - Page 2 of 2



	• •				
In	18	<i>(</i> )+	МЛО	201	ure:

--

Demilitarization:

No

Fiig:

A001a0