Nonprecision Wire Wound Variable Resistor - Page 1 of 2

AeroBase Group

View Online at https://aerobasegroup.com/nsn/5905-00-728-4287

Section Quantity: 1 **Body Style:** Rectangular w/mounting holes **Overall Length:** 0.757 inches **Terminal Length:** 0.172 inches **Overall Height:** Between 0.490 inches and 0.510 inches **Overall Width:** Between 0.180 inches and 0.230 inches Mounting Hole Diameter: 0.093 inches Shaft Diameter: Between 0.058 inches and 0.098 inches Shaft Length: 0.045 inches **Body Length:** 0.540 inches **Body Width:** Between 0.180 inches and 0.230 inches **Body Height:** Between 0.490 inches and 0.510 inches Shaft Style: Round, slotted Actuator Type: Single shaft Maximum Running Torque: 5.00 inch-ounces **Center To Center Distance Between Terminals:** Between 0.090 inches and 0.110 inches Lateral Distance Between Mounting Hole Centers: 0.520 inches **Terminal Location:** Rear end **Mounting Method:** Terminal **Electrical Resistance Per Section:** 1.000 kilohms single section **Rotary Actuator Travel In Angular Deg:** 

Between 7200.0 and 16200.0



### Center To Center Distance Between Center Terminal And Outside Terminal:

Between 0.090 inches and 0.110 inches

## Ambient Tempurature In Deg Celsius Per Section At Zero Percent Rated Power:

150.0 single section

Tempurature Coefficient Of Resistance Per Section In Ppm Per Deg Celsius:

-50.0/+50.0 single section

**Power Dissipation Rating Per Section In Watts:** 

0.75 free air single section

**Resistance Tolerance Per Section In Percent:** 

-5.0/+5.0 single section

#### **Actuator Travel Control Feature:**

Continuous motion

## Ambient Tempurature In Deg Celsius Per Section At Full Rated Power:

85.0 single section

#### **Test Data Document:**

81349-milr27208-4 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

# Terminal Type And Quantity:

3 pin

Shelf Life:

N/a

Unit Of Measure:

--

#### Demilitarization:

No

Fiig:

A002a0