Nonprecision Nonwire Wound Variable Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-00-729-0564

# Section Quantity:

1

Body Style:

Rectangular w/mounting holes/slots

# **Reliability Indicator:**

Not established

### Mounting Hole Diameter:

0.090 inches

#### Shaft Diameter:

0.125 inches

- Shaft Length:
- 0.062 inches

Body Length:

#### 1.328 inches

Body Width:

## 0.348 inches

**Body Height:** 

0.406 inches

Shaft Style:

Round, slotted

### Actuator Type:

Single shaft

#### Fragility Factor:

Moderately delicate

### Lateral Distance Between Mounting Hole Centers:

1.094 inches

#### **Mounting Facility Quantity:**

2

#### **Terminal Location:**

Lower adjacent side single row

#### **Mounting Method:**

Unthreaded hole

#### **Electrical Resistance Per Section:**

5.0 kilohms single section

## Power Dissipation Rating Per Section In Watts:

0.5 free air single section

# **Resistance Tolerance Per Section In Percent:**

-10.0 to 10.0 single section

## Standard Taper Curve Per Section:

A single section

#### **Terminal Type And Quantity:**

3 wire lead

Nonprecision Nonwire Wound Variable Resistor - Page 2 of 2



Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A002a0