NSN 5905-00-732-9231

Nonprecision Wire Wound Variable Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-00-732-9231 **Section Quantity:** 1 **Body Style:** Rectangular **Reliability Indicator:** Not established **Overall Length:** 0.530 inches **Overall Height:** 0.500 inches **Overall Width:** 0.188 inches **Shaft Diameter:** 0.060 inches **Shaft Length:** 0.030 inches **Body Length:** 0.500 inches **Body Width:** 0.188 inches **Body Height:** 0.500 inches **Shaft Style:** Round, slotted **Shaft Bearing Type:** Bearing **Actuator Type:** Single shaft **Screw Thread Diameter:** 0.086 inches **Screw Thread Series Designator:** Screw Thready Qty Per Inch (tpi): 56.0 **Mounting Facility Quantity: Terminal Location:** Rear end **Mounting Method:** Bracket and threaded stud

Mounting Facility Quantity:

Terminal Location:
Rear end
Mounting Method:
Bracket and threaded stud
Electrical Resistance Per Section:

500.0 ohms single section

NSN 5905-00-732-9231

Nonprecision Wire Wound Variable Resistor - Page 2 of 2



Power Dissipation Rating Per Section In Watts: 1.0 free air single section Resistance Tolerance Per Section In Percent: -5.0 to 5.0 single section Standard Taper Curve Per Section: A single section Terminal Type And Quantity: 3 wire lead Shelf Life: N/a Unit Of Measure: - Demilitarization: No

Fiig: A002a0