NSN 5905-00-739-7692

Precision Wire Wound Variable Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-00-739-7692

Section Quantity:
1
Body Style:
Rectangular w/mounting holes/slots
Reliability Indicator:
Not established
Overall Length:
1.624 inches
Terminal Length:
0.110 inches
Overall Height:
0.134 inches
Overall Width:
0.250 inches
Mounting Hole Diameter:
0.093 inches
Shaft Diameter:
0.125 inches
Body Length:
1.265 inches
Body Width:
0.250 inches
Body Height:
0.134 inches
Shaft Style:
Round, slotted
Actuator Type:
Single shaft
Lateral Distance Between Mounting Hole Centers:
1.000 inches
Mounting Facility Quantity:
2
Terminal Location:
Radially positioned over less than half the circumference
Mounting Method:
Unthreaded hole
Features Provided:
Nonmetallic shaft
Electrical Resistance Per Section:
10.000 kilohms single section
Function Conformity Tolerance Per Section:

-0.50/+0.50 single section

NSN 5905-00-739-7692

Precision Wire Wound Variable Resistor - Page 2 of 2



Power Dissipation Rating Per Section In Watts:

1.0 free air single section

Resistance Tolerance Per Section In Percent:

-5.0/+5.0 single section

Function Characteristic Per Section:

Single section linear

Ambient Tempurature In Deg Celsius Per Section At Full Rated Power:

50.0 single section

Special Features:

Mounting holes spaced 1 in. C to c

Terminal Type And Quantity:

3 tab, solder lug

Shelf Life:

Onch Enc

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A002a0