NSN 5905-00-752-3280

Inductive Wire Wound Fixed Resistor - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5905-00-752-3280

Tempurature Coefficient Of Resistance in Ppm Per Deg Ceisius: -300.0/+300.0 Electrical Resistance: 10.000 kilohms Resistance Tolerance in Percent: -10.000/+10.000 Ambient Tempurature in Deg Celsius At Full Rated Power: 40.0 Ambient Tempurature in Deg Celsius At Zero Percent Rated Power: 250.0 Tempurature Range Of Tempurature Coefficient in Deg Celsius: -55.0/+275.0 Inclosure Method: Encapsulated Terminal Type: Wire lead Reliability Indicator: Not established Body Length: 1.880 inches Body Width: 0.380 inches Body Height: 0.350 inches Power Dissipation Rating in Watts: 10.000 free air Style Designator: Terminals each end Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: A001a0	T
Electrical Resistance: 10.000 kilohms Resistance Tolerance In Percent: -10.000/+10.000 Ambient Tempurature In Deg Celsius At Full Rated Power: 40.0 Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 250.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: -55.0/+275.0 Inclosure Method: Encapsulated Terminal Type: Wire lead Reliability Indicator: Not established Body Length: 1.880 inches Body Width: 0.380 inches Body Height: 0.350 inches Power Dissipation Rating In Watts: 10.000 free air Style Designator: Terminals each end Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Tempurature Coefficient Of Resistance In Ppm Per Deg Celsius:
10.000 kilohms Resistance Tolerance In Percent: -10.000/+10.000 Ambient Tempurature In Deg Celsius At Full Rated Power: 40.0 Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 250.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: -55.0/+275.0 Inclosure Method: Encapsulated Terminal Type: Wire lead Reliability Indicator: Not established Body Length: 1.880 inches Body Width: 0.380 inches Body Height: 0.350 inches Power Dissipation Rating In Watts: 10.000 free air Style Designator: Terminals each end Shelf Life: N/a Unit Of Measure: Demilitarization: No Filig:	
Resistance Tolerance In Percent: -10.000/+10.000 Ambient Tempurature In Deg Celsius At Full Rated Power: 40.0 Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 250.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: -55.0/+275.0 Inclosure Method: Encapsulated Terminal Type: Wire lead Reliability Indicator: Not established Body Length: 1.880 inches Body Width: 0.380 inches Body Height: 0.350 inches Power Dissipation Rating In Watts: 10.000 free air Style Designator: Terminals each end Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	
-10.000/+10.000 Ambient Tempurature In Deg Celsius At Full Rated Power: 40.0 Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 250.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: -55.0/+275.0 Inclosure Method: Encapsulated Terminal Type: Wire lead Reliability Indicator: Not established Body Length: 1.880 inches Body Width: 0.380 inches Body Height: 0.350 inches Power Dissipation Rating In Watts: 10.000 free air Style Designator: Terminals each end Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	
Ambient Tempurature In Deg Celsius At Full Rated Power: 40.0 Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 250.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: -55.0/+275.0 Inclosure Method: Encapsulated Terminal Type: Wire lead Reliability Indicator: Not established Body Length: 1.880 inches Body Width: 0.380 inches Body Height: 0.350 inches Power Dissipation Rating In Watts: 10.000 free air Style Designator: Terminals each end Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Resistance Tolerance In Percent:
Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 250.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: -55.0/+275.0 Inclosure Method: Encapsulated Terminal Type: Wire lead Reliability Indicator: Not established Body Length: 1.880 inches Body Width: 0.380 inches Body Height: 0.350 inches Power Dissipation Rating In Watts: 10.000 free air Style Designator: Terminals each end Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	
Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 250.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: -55.0/+275.0 Inclosure Method: Encapsulated Terminal Type: Wire lead Reliability Indicator: Not established Body Length: 1.880 inches Body Width: 0.380 inches Body Height: 0.350 inches Power Dissipation Rating In Watts: 10.000 free air Style Designator: Terminals each end Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Ambient Tempurature In Deg Celsius At Full Rated Power:
250.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: -55.0/+275.0 Inclosure Method: Encapsulated Terminal Type: Wire lead Reliability Indicator: Not established Body Length: 1.880 inches Body Width: 0.380 inches Body Height: 0.350 inches Power Dissipation Rating In Watts: 10.000 free air Style Designator: Terminals each end Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	40.0
Tempurature Range Of Tempurature Coefficient In Deg Celsius: -55.0/+275.0 Inclosure Method: Encapsulated Terminal Type: Wire lead Reliability Indicator: Not established Body Length: 1.880 inches Body Width: 0.380 inches Body Height: 0.350 inches Power Dissipation Rating In Watts: 10.000 free air Style Designator: Terminals each end Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Ambient Tempurature In Deg Celsius At Zero Percent Rated Power:
-55.0/+275.0 Inclosure Method: Encapsulated Terminal Type: Wire lead Reliability Indicator: Not established Body Length: 1.880 inches Body Width: 0.380 inches Body Height: 0.350 inches Power Dissipation Rating In Watts: 10.000 free air Style Designator: Terminals each end Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	250.0
Inclosure Method: Encapsulated Terminal Type: Wire lead Reliability Indicator: Not established Body Length: 1.880 inches Body Width: 0.380 inches Body Height: 0.350 inches Power Dissipation Rating In Watts: 10.000 free air Style Designator: Terminals each end Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Tempurature Range Of Tempurature Coefficient In Deg Celsius:
Encapsulated Terminal Type: Wire lead Reliability Indicator: Not established Body Length: 1.880 inches Body Width: 0.380 inches Body Height: 0.350 inches Power Dissipation Rating In Watts: 10.000 free air Style Designator: Terminals each end Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	-55.0/+275.0
Terminal Type: Wire lead Reliability Indicator: Not established Body Length: 1.880 inches Body Width: 0.380 inches Body Height: 0.350 inches Power Dissipation Rating In Watts: 10.000 free air Style Designator: Terminals each end Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Inclosure Method:
Wire lead Reliability Indicator: Not established Body Length: 1.880 inches Body Width: 0.380 inches Body Height: 0.350 inches Power Dissipation Rating In Watts: 10.000 free air Style Designator: Terminals each end Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Encapsulated
Reliability Indicator: Not established Body Length: 1.880 inches Body Width: 0.380 inches Body Height: 0.350 inches Power Dissipation Rating In Watts: 10.000 free air Style Designator: Terminals each end Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Terminal Type:
Not established Body Length: 1.880 inches Body Width: 0.380 inches Body Height: 0.350 inches Power Dissipation Rating In Watts: 10.000 free air Style Designator: Terminals each end Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Wire lead
Body Length: 1.880 inches Body Width: 0.380 inches Body Height: 0.350 inches Power Dissipation Rating In Watts: 10.000 free air Style Designator: Terminals each end Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Reliability Indicator:
1.880 inches Body Width: 0.380 inches Body Height: 0.350 inches Power Dissipation Rating In Watts: 10.000 free air Style Designator: Terminals each end Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Not established
Body Width: 0.380 inches Body Height: 0.350 inches Power Dissipation Rating In Watts: 10.000 free air Style Designator: Terminals each end Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Body Length:
0.380 inches Body Height: 0.350 inches Power Dissipation Rating In Watts: 10.000 free air Style Designator: Terminals each end Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	1.880 inches
Body Height: 0.350 inches Power Dissipation Rating In Watts: 10.000 free air Style Designator: Terminals each end Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Body Width:
0.350 inches Power Dissipation Rating In Watts: 10.000 free air Style Designator: Terminals each end Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	0.380 inches
Power Dissipation Rating In Watts: 10.000 free air Style Designator: Terminals each end Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Body Height:
10.000 free air Style Designator: Terminals each end Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	0.350 inches
Style Designator: Terminals each end Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Power Dissipation Rating In Watts:
Terminals each end Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	10.000 free air
Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Style Designator:
N/a Unit Of Measure: Demilitarization: No Fiig:	Terminals each end
Unit Of Measure: Demilitarization: No Fiig:	Shelf Life:
Demilitarization: No Fiig:	N/a
No Fiig:	Unit Of Measure:
No Fiig:	
Fiig:	Demilitarization:
	No
A001a0	Fiig:
	A001a0