## NSN 5905-00-755-5280

Precision Wire Wound Variable Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-00-755-5280 **Section Quantity: Reliability Indicator:** Not established **Shaft Diameter:** 0.125 inches **Mounting Bushing Length:** 0.188 inches **Shaft Style:** Round, slotted **Actuator Type:** Single shaft **Screw Thread Diameter:** 0.216 inches **Screw Thread Series Designator:** Unf Screw Thready Qty Per Inch (tpi): 28.0 **Mounting Method:** Standard bushing **Electrical Resistance Per Section:** 125.000 kilohms single section **Function Conformity Tolerance Per Section:** -0.50/+0.50 single section **Power Dissipation Rating Per Section In Watts:** 1.0 free air single section **Function Conformity Per Section:** Single section independent linearity **Resistance Tolerance Per Section In Percent:** -5.0/+5.0 single section **Function Characteristic Per Section:** Single section linear Ambient Tempurature In Deg Celsius Per Section At Full Rated Power: 50.0 single section **Terminal Type And Quantity:** 3 wire lead Shelf Life: N/a **Unit Of Measure:** 

Demilitarization:

No

## NSN 5905-00-755-5280

Precision Wire Wound Variable Resistor - Page 2 of 2



Fiig:

A002a0