## NSN 5905-00-758-4753

Nonprecision Nonwire Wound Variable Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-00-758-4753 **Section Quantity:** 1 **Body Style:** Rectangular w/mounting holes **Overall Length:** 0.675 inches **Terminal Length:** 0.300 inches **Overall Height:** 0.415 inches **Overall Width:** 0.150 inches **Mounting Slot Width:** 0.062 inches **Shaft Diameter:** 0.060 inches **Shaft Length:** 0.040 inches **Body Length:** 0.375 inches **Body Width:** 0.150 inches **Body Height:** 0.375 inches **Shaft Style:** Round, slotted **Actuator Type:** Single shaft **Effective Electrical Rotation In Deg Angular Rotation:** 7920.0 **Center To Center Distance Between Terminals: Lateral Distance Between Mounting Hole Centers:** 0.419 inches **Mounting Facility Quantity: Terminal Location:** Rear end

Mounting Method:
Slot
Electrical Resistance Per Section:
100.000 kilohms single section

## NSN 5905-00-758-4753

Nonprecision Nonwire Wound Variable Resistor - Page 2 of 2



| Rotary Actuator Travel In Angular Deg:                                      |
|---|
| 7920.0  |
| Center To Center Distance Between Center Terminal And Outside Terminal:     |
| 0.100 inches  |
| Ambient Tempurature In Deg Celsius Per Section At Zero Percent Rated Power: |
| 175.0 single section  |
| Tempurature Coefficient Of Resistance Per Section In Ppm Per Deg Celsius:   |
| -100.0 to 100.0 single section  |
| Power Dissipation Rating Per Section In Watts:                              |
| 0.5 free air single section   |
| Resistance Tolerance Per Section In Percent:                                |
| -10.0 to 10.0 single section  |
| Actuator Travel Control Feature:  |
| Clutch  |
| Ambient Tempurature In Deg Celsius Per Section At Full Rated Power:         |
| 85.0 single section   |
| Standard Taper Curve Per Section:   |
| A single section  |
| Terminal Type And Quantity:   |
| 3 pin   |
| Shelf Life:   |
| N/a   |
| Unit Of Measure:  |
|   |
| Demilitarization:   |
| No  |
| Fiig:   |
| A002a0  |
|   |