

View Online at <https://aerobasegroup.com/nsn/5905-00-761-1360>

Section Quantity:

1

Body Style:

Rectangular w/tab/flange mounted

Reliability Indicator:

Not established

Thread Length:

0.875 inches

Shaft Diameter:

0.250 inches

Shaft Length:

1.000 inches

Body Length:

2.500 inches

Body Width:

0.500 inches

Body Height:

0.625 inches

Shaft Style:

Round, threaded

Shaft Bearing Type:

Bearing

Actuator Type:

Single shaft

Longitudinal Actuator Travel:

1.31 inches

Longitudinal Actuator Effective Electrical Stroke Length:

0.725 inches

Distance Between Mounting Hole Centers:

0.344 inches

Lateral Distance Between Mounting Hole Centers:

2.650 inches

Screw Thread Diameter:

0.112 inches

Screw Thread Series Designator:

Unc

Screw Thready Qty Per Inch (tpi):

40.0

Mounting Facility Quantity:

4

Terminal Location:

Upper adjacent side single row

Mounting Method:

Threaded hole

Electrical Resistance Per Section:

10.000 kilohms single section

Function Conformity Tolerance Per Section:

-0.75/+0.75 single section

Ambient Temperature In Deg Celsius Per Section At Zero Percent Rated Power:

200.0 single section

Power Dissipation Rating Per Section In Watts:

0.4 free air single section

Function Conformity Per Section:

Single section independent linearity

Resistance Tolerance Per Section In Percent:

-5.0/+5.0 single section

Function Characteristic Per Section:

Single section linear

Ambient Temperature In Deg Celsius Per Section At Full Rated Power:

40.0 single section

Special Features:

Shaft has screw driver slot

Terminal Type And Quantity:

3 screw

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A002a0