NSN 5905-00-761-6743

Film Fixed Resistor - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5905-00-761-6743

Electrical Resistance: 5.000 kiolms Resistance Tolerance In Percent:	Tempurature Coefficient Of Resistance In Ppm Per Deg Celsius:
Resistance Tolerance in Percent: -0.010/4-0.010 Ambient Tempurature in Deg Celsius At Full Rated Power: 125.0 Ambient Tempurature in Deg Celsius At Zero Percent Rated Power: 175.0 Tempurature Range Of Tempurature Coefficient in Deg Celsius: -55.0/+125.0 Inclosure Method: Encapsulated Terminal Type: Wire lead Reliability Indicator: Not established Body Length: -1.190 inches Body Width: -0.520 inches Body Width: -0.520 inches Body Height: -0.245 inches Power Dissipation Rating in Watts: -1.000 free air Style Designator: Terminals one edge Test Data Document: 26512-gr815de drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.: excludes any specification, standard or other document that may be referenced in a basic governing drawing) Sheft Life: Na Unit of Measure:	-1.0/+1.0
Resistance Tolerance In Percent: -0.010/+0.010 Ambient Tempurature In Deg Celsius At Full Rated Power: 125.0 Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 175.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: -55.0/+125.0 Inclosure Method: Encapsulated Terminal Type: Wire lead Reliability Indicator: Not established Body Length: -1.190 inches Body Width: -0.245 inches Body Height: -0.245 inches Body Height: -0.245 inches Flower Dissipation Rating In Watts: Terminals one edge Test Data Document: 26512-gal15de drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing) Sheff Life: N/a Unit Of Measure:	Electrical Resistance:
-0.010/40.010 Ambient Tempurature In Deg Celsius At Full Rated Power: 125.0 Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 175.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: -55.0/+125.0 Inclosure Method: Encapsulated Terminal Type: Wire lead Reliability Indicator: Not established Body Length: -1.190 inches Body Width: 0.520 inches Body Width: 0.0245 inches Power Dissipation Rating In Watts: 1.000 free air Style Designator: Terminals one edge Test Data Document: 2e8512-gr8155ed drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing) Shelf Life: Na Unit Of Measure:	5.000 kilohms
Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 125.0 Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 175.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: -55.0/+125.0 Inclosure Method: Encapsulated Terminal Type: Wire laad Reliability Indicator: Not established Body Length: -1.190 inches Body Width: 0.520 inches Body Height: 0.225 inches Power Dissipation Rating in Watts: 1.000 free air Style Designator: Terminals one edge Test Data Document: 2esciludes any specification, standard or other document that may be referenced in a basic governing drawing) Shelf Life: N/a Unit Of Measure:	Resistance Tolerance In Percent:
Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 175.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: 55.0/+125.0 Inclosure Method: Encapsulated Terminal Type: Wire lead Reliability Indicator: Not established Body Length: 1.190 inches Body Width: 0.520 inches Body Width: 0.245 inches Power Dissipation Rating In Watts: 1.000 free air Style Designator: Terminals one edge Terst Data Document: 26512-gr815de drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing) Shelf Life: Nia Unit Of Measure: — Demilitarization: No Flig:	-0.010/+0.010
Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 175.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: -55.0/+125.0 Inclosure Method: Encapsulated Terminal Type: Wire lead Reliability Indicator: Not established Body Length: 1.190 inches Body Width: 0.520 inches Body Helght: 0.245 inches Power Dissipation Rating In Watts: 1.000 free air Style Designator: Terminals one edge Tests Data Document: 2651-2-g-815de drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing) Shelf Life: N/a Unit Of Measure:	Ambient Tempurature In Deg Celsius At Full Rated Power:
Tempurature Range Of Tempurature Coefficient in Deg Celsius: -55.04-125.0 Inclosure Method: Encapsulated Terminal Type: Wire lead Reliability Indicator: Not established Body Length: -1.190 inches Body Width: -0.250 inches Body Width: -0.245 inches Power Dissipation Rating In Watts: -1.000 free air Style Designator: Terminals one edge Test Data Document: 26512-gr815de drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.: excludes any specification, standard or other document that may be referenced in a basic governing drawing) Sheft Life: N/a Unit Of Measure: Demilitarization: No Filg:	125.0
Tempurature Range Of Tempurature Coefficient In Deg Celsius: -55.0/+125.0 Inclosure Method: Encapsulated Terminal Type: Wire lead Reliability Indicator: Not established Body Length: 1.190 inches Body Width: 0.520 inches Body Width: 0.520 inches Body Wight: 0.245 inches Power Dissipation Rating In Watts: 1.000 free air Style Designator: Terminals one edge Test Data Document: 26512-gr815de drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing) Shelf Life: Nota Unit Of Measure:	Ambient Tempurature In Deg Celsius At Zero Percent Rated Power:
Inclosure Method: Encapsulated Terminal Type: Wire lead Reliability Indicator: Not established Body Length: 1.190 inches Body Width: 0.520 inches Body Wight: 0.245 inches Power Dissipation Rating In Watts: 1.000 free air Style Designator: Terminals one edge Test Data Document: 26512-gr815de drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.: excludes any specification, standard or other document that may be referenced in a basic governing drawing) Shelf Life: N/a Unit Of Measure: Demilitarization: No Flig:	175.0
Inclosure Method: Encapsulated Terminal Type: Wire lead Reliability Indicator: Not established Body Length: 1.190 inches Body Width: 0.520 inches Body Height: 0.245 inches Power Dissipation Rating In Watts: 1.000 free air Style Designator: Terminals one edge Test Data Document: 26512-gr815de drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing) Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Tempurature Range Of Tempurature Coefficient In Deg Celsius:
Encapsulated Terminal Type: Wire lead Reliability Indicator: Not established Body Length: 1.190 inches Body Width: 0.520 inches Body Height: 0.245 inches Power Dissipation Rating In Watts: 1.000 free air Style Designator: Terminals one edge Test Data Document: 26512-gr815de drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing) Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	-55.0/+125.0
Terminal Type: Wire lead Reliability Indicator: Not established Body Length: 1.190 inches Body Width: 0.520 inches Body Height: 0.245 inches Power Dissipation Rating In Watts: 1.000 free air Style Designator: Terminals one edge Test Data Document: 26512-gr815de drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing) Shelf Life: N/a Unit Of Measure: Demilitarization: No Flig:	Inclosure Method:
Wire lead Reliability Indicator: Not established Body Length: 1.190 inches Body Width: 0.520 inches Body Height: 0.245 inches Power Dissipation Rating In Watts: 1.000 free air Style Designator: Terminals one edge Test Data Document: 26512-gr815de drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing) Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig:	Encapsulated
Reliability Indicator: Not established Body Length: 1.190 inches Body Width: 0.520 inches Body Height: 0.245 inches Power Dissipation Rating In Watts: 1.000 free air Style Designator: Terminals one edge Test Data Document: 26512-gr815de drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing) Shelf Life: N/a Unit Of Measure: Demilitarization: No Flig:	Terminal Type:
Note stablished Body Length: 1.190 inches Body Width: 0.520 inches Body Height: 0.245 inches Power Dissipation Rating In Watts: 1.000 free air Style Designator: Terminals one edge Test Data Document: 26512-gr815de drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.: excludes any specification, standard or other document that may be referenced in a basic governing drawing) Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Wire lead
Body Length: 1.190 inches Body Width: 0.520 inches Body Height: 0.245 inches Power Dissipation Rating In Watts: 1.000 free air Style Designator: Terminals one edge Test Data Document: 26512-gr815de drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing) Shelf Life: N/a Unit Of Measure: Demilitarization: No Flig:	Reliability Indicator:
1.190 inches Body Width: 0.520 inches Body Height: 0.245 inches Power Dissipation Rating In Watts: 1.000 free air Style Designator: Terminals one edge Test Data Document: 26512-gr815de drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing) Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig:	Not established
Body Width: 0.520 inches Body Height: 0.245 inches Power Dissipation Rating In Watts: 1.000 free air Style Designator: Terminals one edge Test Data Document: 26512-gr815de drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing) Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig:	Body Length:
0.520 inches Body Height: 0.245 inches Power Dissipation Rating In Watts: 1.000 free air Style Designator: Terminals one edge Test Data Document: 26512-gr815de drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing) Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig:	1.190 inches
Body Height: 0.245 inches Power Dissipation Rating In Watts: 1.000 free air Style Designator: Terminals one edge Test Data Document: 26512-gr815de drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing) Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig:	Body Width:
0.245 inches Power Dissipation Rating In Watts: 1.000 free air Style Designator: Terminals one edge Test Data Document: 26512-gr815de drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing) Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig:	0.520 inches
Power Dissipation Rating In Watts: 1.000 free air Style Designator: Terminals one edge Test Data Document: 26512-gr815de drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing) Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Body Height:
1.000 free air Style Designator: Terminals one edge Test Data Document: 26512-gr815de drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing) Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	0.245 inches
Style Designator: Terminals one edge Test Data Document: 26512-gr815de drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing) Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Power Dissipation Rating In Watts:
Terminals one edge Test Data Document: 26512-gr815de drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing) Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	1.000 free air
Test Data Document: 26512-gr815de drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing) Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Style Designator:
26512-gr815de drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing) Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Terminals one edge
excludes any specification, standard or other document that may be referenced in a basic governing drawing) Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Test Data Document:
Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	26512-gr815de drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.,
N/a Unit Of Measure: Demilitarization: No Fiig:	excludes any specification, standard or other document that may be referenced in a basic governing drawing)
Unit Of Measure: Demilitarization: No Fiig:	Shelf Life:
 Demilitarization: No Fiig:	N/a
No Fiig:	Unit Of Measure:
No Fiig:	
Fiig:	Demilitarization:
	No
A001a0	Fiig:
	A001a0