NSN 5905-00-763-4806

Inductive Wire Wound Fixed Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-00-763-4806

Tempurature Coefficient Of Resistance In Ppm Per Deg Celsius:
-30.0/+30.0
Electrical Resistance:
887.000 ohms
Resistance Tolerance In Percent:
-1.000/+1.000
Heat Sink Material:
Aluminum alloy
Heat Sink Length:
6.000 inches
Heat Sink Width:
4.000 inches
Heat Sink Height:
2.000 inches
Heat Sink Thickness:
0.040 inches
Ambient Tempurature In Deg Celsius At Full Rated Power:
25.0
Ambient Tempurature In Deg Celsius At Zero Percent Rated Power:
275.0
Tempurature Range Of Tempurature Coefficient In Deg Celsius:
Tempurature Range Of Tempurature Coefficient In Deg Celsius: -55.0/+275.0
-55.0/+275.0
-55.0/+275.0 Inclosure Method:
-55.0/+275.0 Inclosure Method: Encased
-55.0/+275.0 Inclosure Method: Encased Terminal Type:
-55.0/+275.0 Inclosure Method: Encased Terminal Type: Tab, solder lug
-55.0/+275.0 Inclosure Method: Encased Terminal Type: Tab, solder lug Reliability Indicator:
-55.0/+275.0 Inclosure Method: Encased Terminal Type: Tab, solder lug Reliability Indicator: Not established
-55.0/+275.0 Inclosure Method: Encased Terminal Type: Tab, solder lug Reliability Indicator: Not established Terminal Length:
-55.0/+275.0 Inclosure Method: Encased Terminal Type: Tab, solder lug Reliability Indicator: Not established Terminal Length: 0.312 inches
-55.0/+275.0 Inclosure Method: Encased Terminal Type: Tab, solder lug Reliability Indicator: Not established Terminal Length: 0.312 inches Body Diameter:
-55.0/+275.0 Inclosure Method: Encased Terminal Type: Tab, solder lug Reliability Indicator: Not established Terminal Length: 0.312 inches Body Diameter: 0.500 inches
Inclosure Method: Encased Terminal Type: Tab, solder lug Reliability Indicator: Not established Terminal Length: 0.312 inches Body Diameter: 0.500 inches Mounting Bushing Length:
-55.0/+275.0 Inclosure Method: Encased Terminal Type: Tab, solder lug Reliability Indicator: Not established Terminal Length: 0.312 inches Body Diameter: 0.500 inches Mounting Bushing Length: 0.250 inches
Inclosure Method: Encased Terminal Type: Tab, solder lug Reliability Indicator: Not established Terminal Length: 0.312 inches Body Diameter: 0.500 inches Mounting Bushing Length: 0.250 inches Body Length:
Inclosure Method: Encased Terminal Type: Tab, solder lug Reliability Indicator: Not established Terminal Length: 0.312 inches Body Diameter: 0.500 inches Mounting Bushing Length: 0.250 inches Body Length: 0.500 inches
Inclosure Method: Encased Terminal Type: Tab, solder lug Reliability Indicator: Not established Terminal Length: 0.312 inches Body Diameter: 0.500 inches Mounting Bushing Length: 0.250 inches Body Length: 0.500 inches Power Dissipation Rating In Watts:
Inclosure Method: Encased Terminal Type: Tab, solder lug Reliability Indicator: Not established Terminal Length: 0.312 inches Body Diameter: 0.500 inches Mounting Bushing Length: 0.250 inches Body Length: 0.500 inches Power Dissipation Rating In Watts: 5.000 free air

Axial terminal each end

NSN 5905-00-763-4806

Inductive Wire Wound Fixed Resistor - Page 2 of 2



Shelf	Life:
-------	-------

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A001a0