## NSN 5905-00-771-4784

Precision Wire Wound Variable Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-00-771-4784

Section Quantity:
1
Body Style:
Cylindrical servo mounted
Pilot Diameter:
Between 0.74900 inches and 0.75000 inches
Pilot Length:
0.06200 inches
Overall Length:
1.350 inches
Body Diameter:
1.130 inches
Shaft Diameter:
0.125 inches
Shaft Length:
Between 0.290 inches and 0.330 inches
Body Length:
1.020 inches
Overall Diameter:
1.630 inches
Mounting Lip Diameter:
Between 1.24000 inches and 1.25000 inches
Mounting Lip Depth:
0.06200 inches
Shaft Style:
Round, slotted
Shaft Bearing Type:
Ball
Actuator Type:
Single shaft
Effective Electrical Rotation In Deg Angular Rotation:
359.0
Maximum Starting Torque:
0.02 inch-ounces
Terminal Location:
Radially positioned over more than half the circumference
Electrical Resistance Per Section:
600.000 ohms single section
Tap Location From Ccw Terminal Per Section In Deg Of Effective Electrical Rotation:
180.0 single section
Rotary Actuator Travel In Angular Deg:
360.0

## NSN 5905-00-771-4784

No Fiig: A002a0

Precision Wire Wound Variable Resistor - Page 2 of 2



Function Conformity Tolerance Per Section:
0.50/+0.50 single section
Ambient Tempurature In Deg Celsius Per Section At Zero Percent Rated Power:
30.0 single section
Power Dissipation Rating Per Section In Watts:
0.5 free air single section
Function Conformity Per Section:
Single section independent linearity
Fixed Tap Quantity Per Section:
1 single section
Tap Location Tolerance Per Section:
1.0/+1.0 degrees angular rotation single section
Resistance Tolerance Per Section In Percent:
5.0/+5.0 single section
Actuator Travel Control Feature:
Continuous motion
Function Characteristic Per Section:
Single section linear
Ambient Tempurature In Deg Celsius Per Section At Full Rated Power:
40.0 single section
Test Data Document:
56232-719958 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.
excludes any specification, standard or other document that may be referenced in a basic governing drawing)
Terminal Type And Quantity:
4 solder stud
Shelf Life:
N/a
Unit Of Measure:
-
Demilitarization: