NSN 5905-00-774-2242

Precision Wire Wound Variable Resistor - Page 1 of 3



View Online at https://aerobasegroup.com/nsn/5905-00-774-2242 **Section Quantity:** 1 **Body Style:** Cylindrical servo mounted **Reliability Indicator:** Not established **Pilot Diameter:** 1.8750 inches Pilot Length: 0.0670 inches **Overall Length:** 2.381 inches **Undercut Diameter:** 1.825 inches **Undercut Width:** 0.0620 inches **Body Diameter:** 2.000 inches **Shaft Diameter:** 0.124 inches **Shaft Length:** Between 0.719 inches and 0.781 inches **Body Length:** 1.600 inches **Overall Diameter:** 2.368 inches **Mounting Lip Diameter:** 2.0000 inches **Mounting Lip Depth:** 0.0620 inches **Shaft Style:** Round, slotted **Shaft Bearing Type:** Ball **Actuator Type:**

Single shaft **Effective Electrical Rotation In Deg Angular Rotation:** 9000.0 **Maximum Starting Torque:** 0.70 inch-ounces

Maximum Running Torque:

0.60 inch-ounces

NSN 5905-00-774-2242

Maximum Stop Torque:

Precision Wire Wound Variable Resistor - Page 2 of 3



56.00 inch-ounces
Shaft End Play:
0.005 inches
Shaft Runout:
0.001 inches
Lateral Runout:
0.001 inches
Pilot Diameter Runout:
0.001 inches
Shaft Radial Play:
0.001 inches
Mechanical Backlash In Deg Angular Rotation:
0.3
Terminal Location:
Longitudinally positioned on the circumference
Mounting Method:
Clamp ring
Features Provided:
Nonmetallic shaft
Electrical Resistance Per Section:
50.0 kilohms single section
Rotary Actuator Travel In Angular Deg:
9180.0
Function Conformity Tolerance Per Section:
-1.00/+1.00 single section
Ambient Tempurature In Deg Celsius Per Section At Zero Percent Rated Power:
125.0 single section
Power Dissipation Rating Per Section In Watts:
0.1 free air single section
Function Conformity Per Section:
Single section terminal base linearity
Resistance Tolerance Per Section In Percent:
-5.0/+5.0 single section
Actuator Travel Control Feature:
Stops
Function Characteristic Per Section:
Single section linear
Tempurature Coefficient Of Resistance Wire Per Section In Ppm Per Deg Celsius:
-20.0/+20.0 single section
Ambient Tempurature In Deg Celsius Per Section At Full Rated Power:
100.0 single section

3 tab, solder lug

Terminal Type And Quantity:

NSN 5905-00-774-2242

Precision Wire Wound Variable Resistor - Page 3 of 3



She	lf L	.if	e:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A002a0