NSN 5905-00-776-6460

Noninductive Wire Wound Fixed Resistor - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5905-00-776-6460

Tempurature Coefficient Of Resistance In Ppm Per Deg Celsius: -20.0/+20.0 Electrical Resistance: 3.428 ohms Resistance Tolerance In Percent: -0.500/+0.500 Ambient Tempurature In Deg Celsius At Full Rated Power: 125.0	
Electrical Resistance: 3.428 ohms Resistance Tolerance In Percent: -0.500/+0.500 Ambient Tempurature In Deg Celsius At Full Rated Power:	
3.428 ohms Resistance Tolerance In Percent: -0.500/+0.500 Ambient Tempurature In Deg Celsius At Full Rated Power:	
Resistance Tolerance In Percent: -0.500/+0.500 Ambient Tempurature In Deg Celsius At Full Rated Power:	
-0.500/+0.500 Ambient Tempurature In Deg Celsius At Full Rated Power:	
Ambient Tempurature In Deg Celsius At Full Rated Power:	
16 MAY	
Ambient Tempurature In Deg Celsius At Zero Percent Rated Power:	
145.0	
Tempurature Range Of Tempurature Coefficient In Deg Celsius:	
-65.0/+145.0	
Inclosure Method:	
Encapsulated	
Terminal Type:	
Wire lead	
Body Diameter:	
0.250 inches	
Body Length:	
0.750 inches	
Power Dissipation Rating In Watts:	
0.250 free air	
Style Designator:	
Axial terminal each end	
Test Data Document:	
81349-mil-r-93 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification form	at
excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmenta	I
and performance requirements and test conditions that are shown as "typical", "average", "", etc.).	
Specification Data:	
81349-mil-r-93/12 government specification	
Shelf Life:	
N/a	
Unit Of Measure:	
Demilitarization:	
No	
Fiig:	
A001a0	