NSN 5905-00-781-3773

Inductive Wire Wound Fixed Resistor - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5905-00-781-3773

Tempurature Coefficient Of Resistance In Ppm Per Deg Celsius:
-400.0/+400.0
Electrical Resistance:
1.500 ohms
Resistance Tolerance In Percent:
-5.000/+5.000
Ambient Tempurature In Deg Celsius At Full Rated Power:
25.0
Ambient Tempurature In Deg Celsius At Zero Percent Rated Power:
350.0
Tempurature Range Of Tempurature Coefficient In Deg Celsius:
-55.0/+350.0
Inclosure Method:
Encapsulated
Terminal Type:
Wire lead
Reliability Indicator:
Not established
Body Diameter:
0.188 inches
Body Length:
0.500 inches
Power Dissipation Rating In Watts:
3.000 free air
Style Designator:
Axial terminal each end
Test Data Document:
81349-mil-r-26/4 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification formation
excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental
and performance requirements and test conditions that are shown as "typical", "average", "", etc.).
Departure From Cited Designator:
As mod by delete 0.00175 in para.3.2.1.1 and sub. 0.001; delete para. 3.5 and sub. The temp coef or res shall not exceed porm 0.0025 pct
/25ppm/ per degrees c thermal emf of the res wire versus copper shall not exceed 10 microvolts per degrees c; para 3.15 res may be
marked and labelled according to commercial practice
Shelf Life:
N/a
Unit Of Measure:

Demilitarization:
No
Fiig:
A001a0