Nonprecision Nonwire Wound Variable Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-00-782-0889

Section Quantity:
1
Body Style:
Cylindrical
Reliability Indicator:
Not established

Terminal Length:

0.188 inches

Body Diameter:

0.562 inches

Body Length:

0.500 inches

Shaft Bearing Type:

Sleeve

Actuator Type:

Integral knob with counter

Center To Center Distance Between Terminals:

0.362 inches

Fragility Factor:

Moderately rugged

Terminal Location:

Radially positioned over more than half the circumference

Mounting Method:

Terminal

Electrical Resistance Per Section:

250.0 kilohms single section

Rotary Actuator Travel In Angular Deg:

Between 295.0 and 305.0

Center To Center Distance Between Center Terminal And Outside Terminal:

0.181 inches

Ambient Tempurature In Deg Celsius Per Section At Zero Percent Rated Power:

120.0 single section

Power Dissipation Rating Per Section In Watts:

0.333 free air single section

Resistance Tolerance Per Section In Percent:

-10.0 to 10.0 single section

Ambient Tempurature In Deg Celsius Per Section At Full Rated Power:

70.0 single section

Standard Taper Curve Per Section:

A single section

Terminal Type And Quantity:

3 pin

Nonprecision Nonwire Wound Variable Resistor - Page 2 of 2



Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A002a0