NSN 5905-00-783-9256

Precision Wire Wound Variable Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-00-783-9256

Section Quantity:
1
Body Style:
Cylindrical w/readout
Reliability Indicator:
Not established
Overall Length:
6.670 inches
Body Diameter:
Between 2.230 inches and 2.270 inches
Mounting Hole Diameter:
Between 0.158 inches and 0.165 inches
Body Length:
5.000 inches
Overall Diameter:
Between 2.630 inches and 2.670 inches
Actuator Type:
Integral knob with counter
Mounting Facility Quantity:
4
Terminal Location:
Rear end
Mounting Method:
Unthreaded hole
Electrical Resistance Per Section:
50.000 kilohms single section
Function Conformity Tolerance Per Section:
-0.10/+0.10 single section
Ambient Tempurature In Deg Celsius Per Section At Zero Percent Rated Power:
65.0 single section
Tempurature Coefficient Of Resistance Per Section In Ppm Per Deg Celsius:
-20.0/+20.0 single section
Power Dissipation Rating Per Section In Watts:
3.0 free air single section
Function Conformity Per Section:
Single section independent linearity
Fixed Tap Quantity Per Section:
1 single section
Tap Location Tolerance Per Section:
-1.0/+1.0 ohms single section
Resistance Tolerance Per Section In Percent:

-0.05/+0.05 single section

NSN 5905-00-783-9256

Fiig: A002a0

Precision Wire Wound Variable Resistor - Page 2 of 2



Tap Location From Ccw Terminal Per Section In Ohms:
25000.0 single section
Function Characteristic Per Section:
Single section linear
Ambient Tempurature In Deg Celsius Per Section At Full Rated Power:
25.0 single section
Terminal Type And Quantity:
3 solder stud
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No