Nonprecision Wire Wound Variable Resistor - Page 1 of 3



View Online at https://aerobasegroup.com/nsn/5905-00-789-5867 Section Quantity: 1 **Body Style:** Cylindrical bushing mounted **Reliability Indicator:** Not established **Overall Length:** Between 2.104 inches and 2.185 inches **Body Diameter:** 0.875 inches Shaft Diameter: 0.1248 inches Shaft Length: 0.594 inches Mounting Bushing Length: 0.250 inches **Body Length:** Between 1.448 inches and 1.466 inches **Overall Diameter:** 1.062 inches Shaft Style: Round Shaft Bearing Type: Sleeve Actuator Type: Single shaft Effective Electrical Rotation In Deg Angular Rotation: Between 3600.0 and 3610.0 **Maximum Starting Torque:** 0.60 inch-ounces Maximum Running Torque: 0.50 inch-ounces Maximum Stop Torque: 128.00 inch-ounces Shaft End Play: 0.005 inches Shaft Runout: 0.001 inches Lateral Runout: 0.003 inches **Pilot Diameter Runout:** 0.003 inches



Shaft Radial Play: 0.003 inches **Fragility Factor:** Moderately rugged **Screw Thread Diameter:** 0.250 inches Screw Thread Series Designator: Unef Screw Thready Qty Per Inch (tpi): 32.0 **Terminal Location:** Longitudinally positioned on the circumference **Mounting Method:** Standard bushing **Features Provided:** Humidity proof **Electrical Resistance Per Section:** 10.0 percent, rated amperes c and better flooring **Rotary Actuator Travel In Angular Deg:** Between 3600.0 and 3610.0 **Function Conformity Tolerance Per Section:** -0.25/+0.25 single section **Power Dissipation Rating Per Section In Watts:** 1.5 7th secondary quality **Function Conformity Per Section:** Single section independent linearity **Resistance Tolerance Per Section In Percent:** -3.0/+3.0 single section **Actuator Travel Control Feature:** Stops **Function Characteristic Per Section:** 7 oclock all primaries Tempurature Coefficient Of Resistance Wire Per Section In Ppm Per Deg Celsius: +0.0/+130.0 single section Ambient Tempurature In Deg Celsius Per Section At Full Rated Power: 40.0 single section **Special Features:** Peak noise 100mv **Terminal Type And Quantity:** 3 turret Shelf Life: N/a

Unit Of Measure:

Nonprecision Wire Wound Variable Resistor - Page 3 of 3



Demilitarization:

No

Fiig:

A002a0