Nonprecision Wire Wound Variable Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-00-803-4582

# Section Quantity:

1

Body Style:

Cylindrical

## Reliability Indicator:

Not established

### **Overall Length:**

4.062 inches

#### Body Diameter:

3.500 inches

### Shaft Diameter:

0.250 inches

### Shaft Length:

1.438 inches

### **Body Length:**

### 4.062 inches

## Overall Diameter:

3.500 inches

### Shaft Style:

Round

## Actuator Type:

Single shaft

## Effective Electrical Rotation In Deg Angular Rotation:

9000.0

### **Terminal Location:**

Lower adjacent side single row

### **Mounting Method:**

Clamp ring

### **Features Provided:**

Nonmetallic shaft

### **Electrical Resistance Per Section:**

100.0 kilohms single section

## Rotary Actuator Travel In Angular Deg:

360.0

## Power Dissipation Rating Per Section In Watts:

15.0 free air single section

## Fixed Tap Quantity Per Section:

2 single section

### **Resistance Tolerance Per Section In Percent:**

-1.0 to 1.0 single section

### Actuator Travel Control Feature:

Continuous motion



### Ambient Tempurature In Deg Celsius Per Section At Full Rated Power:

25.0 single section

Standard Taper Curve Per Section:

A single section

Terminal Type And Quantity:

4 tab, solder lug

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A002a0