## NSN 5905-00-805-2064

Nonprecision Nonwire Wound Variable Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-00-805-2064

Section Quantity:
Body Style:
Rectangular w/mounting holes/slots
Reliability Indicator:
Not established
Overall Length:
1.391 inches
Overall Height:
0.406 inches
Overall Width:
0.0400 inches
Mounting Hole Diameter:
0.090 inches
Shaft Diameter:
0.125 inches
Shaft Length:
0.062 inches
Body Length:
1.328 inches
Body Width:
0.344 inches
Body Height:
0.406 inches
Shaft Style:
Round, slotted
Actuator Type:
Single shaft
Lateral Distance Between Mounting Hole Centers:
Between 0.920 inches and 1.096 inches
Mounting Facility Quantity:
2
Terminal Location:
Rear end
Mounting Method:
Unthreaded hole
Electrical Resistance Per Section:
50.0 ohms single section
Ambient Tempurature In Deg Celsius Per Section At Zero Percent Rated Power:
125.0 single section
Tempurature Coefficient Of Resistance Per Section In Ppm Per Deg Celsius:
-3000.0/+3000.0 single section

## NSN 5905-00-805-2064

Nonprecision Nonwire Wound Variable Resistor - Page 2 of 2



Power Dissipation Rating Per Section In Watts:
0.5 free air single section
Resistance Tolerance Per Section In Percent:
-10.0/+10.0 single section
Ambient Tempurature In Deg Celsius Per Section At Full Rated Power:
40.0 single section
Standard Taper Curve Per Section:
A single section
Terminal Type And Quantity:
3 wire lead

Demilitarization:

**Unit Of Measure:** 

Shelf Life:

No

N/a

Fiig:

A002a0