NSN 5905-00-805-4762

Noninductive Wire Wound Fixed Resistor - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5905-00-805-4762

91.000 kilohms Resistance Tolerance in Percent: -1.000/+1.000 Ambient Tempurature in Deg Celsius At Full Rated Power: 125.0 Ambient Tempurature in Deg Celsius At Zero Percent Rated Power: 125.0 Ambient Tempurature in Deg Celsius At Zero Percent Rated Power: 145.0 Inclosure Method: Encapsulated Terminal Type: Tab, solder lug Terminal Length: 0.375 inches Body Diameter: 0.5500 inches Body Length: 1.000 inches Power Dissipation Rating in Watts: 1.000 inches Power Dissipation Rating in Watts: 1.000 free air Terminal Length: 0.187 inches Style Designator: Radial terminal each end Test Data Document: 81349-mil-94444 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", ", etc.). Specification Data: 81349-mil-94444/10/usaf/canceled/ government specification Shelf Life: Na Unit Of Measure:	Electrical Resistance:
-1.000/41.000 Ambient Tempurature In Deg Celsius At Full Rated Power: 125.0 Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 145.0 Inclosure Method: Encapsulated Terminal Type: Tab, solder lug Terminal Length: 0.375 inches Body Diameter: 0.500 inches Body Length: 1.000 inches Power Dissipation Rating In Watts: 1.000 inches Power Dissipation Rating In Watts: 0.187 inches Style Designator: Radial terminal each end Test Data Document: 81349-mil+79444 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", ", etc.). Specification Date: 81349-mil+9444a/10/usal/canceled/ government specification Sheft Life: N/a Unit Of Measure:	91.000 kilohms
Ambient Tempurature In Deg Celsius At Full Rated Power: 125.0 Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 145.0 Inclosure Method: Encapsulated Terminal Type: Tab, solder lug Terminal Length: 0.375 inches Body Diameter: 0.500 inches Body Length: 1.000 inches Body Length: 1.000 inches Power Dissipation Rating In Watts: 1.000 free air Terminal Width: 0.187 inches Style Designator: Radial terminal each end Test Data Document: 81349-mil-r-94444 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", ". etc.). Specification Data: 81349-mil-r-9444a/10/usaf/canceled/ government specification Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig:	Resistance Tolerance In Percent:
Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 145.0 Inclosure Method: Encapsulated Terminal Type: Tab, solder lug Terminal Length: 0.375 inches Body Diameter: 0.500 inches Body Length: 1.000 inches Body Length: 1.000 inches Power Dissipation Rating in Watts: 1.000 fee air Terminal Width: 0.187 inches Style Designator: Radial terminal each end Test Data Document: 81349-mili-9444 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format, excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as 'typical', 'average', '", etc.). Specification Data: 81349-mili-9444a/10/usaf/canceled/ government specification Shelf Life: Na Unit Of Measure:	-1.000/+1.000
Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 145.0 Inclosure Method: Encapsulated Terminal Type: Tab, solder lug Terminal Length: 0.375 inches Body Diameter: 0.500 inches Body Length: 1.000 inches Power Dissipation Rating In Watts: 1.000 inches Power Dissipation Rating In Watts: 1.000 free air Terminal Width: 0.187 inches Style Designator: Radial terminal each end Test Data Document: 81349-mill-r-9444 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Specification Data: 81349-mill-r-9444a/10/usal/canceled/ government specification Shelf Life: N/a Unit Of Measure:	Ambient Tempurature In Deg Celsius At Full Rated Power:
Inclosure Method: Encapsulated Terminal Type: Tab, solder lug Terminal Length: 0.376 inches Body Diameter: 0.500 inches Body Length: 1.000 inches Body Diameter: 1.000 inches Power Dissipation Rating in Watts: 1.000 inches Power Dissipation Rating in Watts: 1.1000 free air Terminal Width: 0.187 inches Style Designator: Radial terminal each end Test Data Document: 81349-mil-r-94444 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Specification Data: 81349-mil-r-9444a/10/usal/canceled/ government specification Shelf Life: N/a Unit Of Measure:	125.0
Inclosure Method: Encapsulated Torminal Type: Tab, solder lug Terminal Length: 0.375 inches Body Diameter: 0.500 inches Body Length: 1.000 inches Body Length: 1.000 free air Terminal Width: 0.187 inches Style Designator: Radial terminal each end Test Data Document: B1349-mil-r-9444 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Specification Data: B1349-mil-r-94444/10/usaf/canceled/ government specification Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig:	Ambient Tempurature In Deg Celsius At Zero Percent Rated Power:
Encapsulated Terminal Type: Tab, solder lug Terminal Length: 0.375 inches Body Diameter: 0.500 inches Body Length: 1.000 inches Body Length: 1.000 inches Power Dissipation Rating in Watts: 1.000 free air Terminal Width: 0.187 inches Style Designator: Radial terminal each end Test Data Document: 81349-milr-9444 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Specification Data: 81349-milr-9444a/10/usal/canceled/ government specification Shelf Life: N/a Unit Of Measure: Demilitarization: No Filg:	145.0
Terminal Type: Tab, solder lug Terminal Length: 0.375 inches Body Diameter: 0.500 inches Body Length: 1.000 inches Power Dissipation Rating In Watts: 1.000 free air Terminal Width: 0.187 inches Style Designator: Radial terminal each end Test Data Document: 81349-mill-r-9444 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Specification Data: 81349-mill-r-9444a/10/usaf/canceled/ government specification No Unit Of Measure: Demilitarization: No Fiig:	Inclosure Method:
Tab, solder lug Terminal Length: 0.375 inches Body Diameter: 0.500 inches Body Length: 1.000 inches Body Length: 1.000 inches Power Dissipation Rating In Watts: 1.000 free air Terminal Width: 0.187 inches Style Designator: Radial terminal each end Test Data Document: 81349-mil-r-9444 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average*, "", etc.). Specification Data: 81349-mil-r-9444a/10/usaf/canceled/ government specification Shelf Life: Na Unit Of Measure: Demilitarization: No Fig:	Encapsulated
Terminal Length: 0.375 inches Body Diameter: 0.500 inches Body Length: 1.000 inches Power Dissipation Rating In Watts: 1.000 free air Terminal Width: 0.187 inches Style Designator: Radial terminal each end Test Data Document: 81349-mil-r-9444 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Specification Data: 81349-mil-r-9444a/10/usaf/canceled/ government specification Shelf Life: N/a Unit Of Measure: Demilitarization: No Filg:	Terminal Type:
0.375 inches Body Diameter: 0.500 inches Body Length: 1.000 inches Power Dissipation Rating In Watts: 1.000 free air Terminal Width: 0.187 inches Style Designator: Radial terminal each end Test Data Document: 81349-mil-r-94444 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Specification Data: 81349-mil-r-9444a/10/usaf/canceled/ government specification Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig:	Tab, solder lug
Body Diameter: 0.500 inches Body Length: 1.000 inches Power Dissipation Rating In Watts: 1.000 free air Terminal Width: 0.187 inches Style Designator: Radial terminal each end Test Data Document: 81349-mil-r-9444 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Specification Data: 81349-mil-r-9444a/10/usaf/canceled/ government specification Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig:	Terminal Length:
0.500 inches Body Length: 1.000 inches Power Dissipation Rating In Watts: 1.000 free air Terminal Width: 0.187 inches Style Designator: Radial terminal each end Test Data Document: 81349-mil-r-9444 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Specification Data: 81349-mil-r-9444a/10/usaf/canceled/ government specification Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig:	0.375 inches
Body Length: 1.000 inches Power Dissipation Rating In Watts: 1.000 free air Terminal Width: 0.187 inches Style Designator: Radial terminal each end Test Data Document: 81349-mil-r-9444 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Specification Data: 81349-mil-r-9444a/10/usaf/canceled/ government specification Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig:	Body Diameter:
1.000 inches Power Dissipation Rating In Watts: 1.000 free air Terminal Width: 0.187 inches Style Designator: Radial terminal each end Test Data Document: 81349-mil-r-9444 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Specification Data: 81349-mil-r-9444a/10/usaf/canceled/ government specification Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig:	0.500 inches
Power Dissipation Rating In Watts: 1.000 free air Terminal Width: 0.187 inches Style Designator: Radial terminal each end Test Data Document: 81349-mil-r-9444 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Specification Data: 81349-mil-r-9444a/10/usaf/canceled/ government specification Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig:	Body Length:
Terminal Width: 0.187 inches Style Designator: Radial terminal each end Test Data Document: 81349-mil-r-9444 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Specification Data: 81349-mil-r-94444/10/usaf/canceled/ government specification Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig:	1.000 inches
Terminal Width: 0.187 inches Style Designator: Radial terminal each end Test Data Document: 81349-mil-r-9444 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Specification Data: 81349-mil-r-9444a/10/usaf/canceled/ government specification Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig:	Power Dissipation Rating In Watts:
O.187 inches Style Designator: Radial terminal each end Test Data Document: 81349-mil-r-9444 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Specification Data: 81349-mil-r-9444a/10/usaf/canceled/ government specification Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig:	1.000 free air
Style Designator: Radial terminal each end Test Data Document: 81349-mil-r-9444 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Specification Data: 81349-mil-r-9444a/10/usaf/canceled/ government specification Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Terminal Width:
Radial terminal each end Test Data Document: 81349-mil-r-9444 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Specification Data: 81349-mil-r-9444a/10/usaf/canceled/ government specification Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	0.187 inches
Test Data Document: 81349-mil-r-9444 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Specification Data: 81349-mil-r-9444a/10/usaf/canceled/ government specification Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Style Designator:
81349-mil-r-9444 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Specification Data: 81349-mil-r-9444a/10/usaf/canceled/ government specification Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Radial terminal each end
format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Specification Data: 81349-mil-r-9444a/10/usaf/canceled/ government specification Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Test Data Document:
environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Specification Data: 81349-mil-r-9444a/10/usaf/canceled/ government specification Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	81349-mil-r-9444 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification
Specification Data: 81349-mil-r-9444a/10/usaf/canceled/ government specification Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain
81349-mil-r-9444a/10/usaf/canceled/ government specification Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).
Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Specification Data:
N/a Unit Of Measure: Demilitarization: No Fiig:	81349-mil-r-9444a/10/usaf/canceled/ government specification
Unit Of Measure: Demilitarization: No Fiig:	Shelf Life:
Demilitarization: No Fiig:	N/a
No Fiig:	Unit Of Measure:
No Fiig:	
Fiig:	Demilitarization:
-	No
A001a0	Fiig:
	A001a0