NSN 5905-00-807-1907

Precision Nonwire Wound Variable Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-00-807-1907

Section Quantity:

1

Body Style:
Cylindrical bushing mounted
Reliability Indicator:
Not established
Body Diameter:
1.093 inches
Shaft Diameter:
0.250 inches
Shaft Length:
0.625 inches

Mounting Bushing Length: 0.375 inches

Body Length: 0.562 inches

Shaft Style: Round, slotted

Actuator Type:

Single shaft

Nonturn Device Location:

At 9 oclock

Nonturn Device Radius:

0.531 inches

Screw Thread Diameter:

0.375 inches

Screw Thread Series Designator:

Unef

Screw Thready Qty Per Inch (tpi):

32.0

Terminal Location:

Radially positioned over less than half the circumference

Mounting Method:

Standard bushing

Electrical Resistance Per Section:

10.000 kilohms single section

Power Dissipation Rating Per Section In Watts:

2.0 free air single section

Resistance Tolerance Per Section In Percent:

-10.00/+10.00 single section

Terminal Type And Quantity:

3 tab, solder lug

NSN 5905-00-807-1907

Precision Nonwire Wound Variable Resistor - Page 2 of 2



Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiia:

A002a0