## NSN 5905-00-809-8676

Nonprecision Wire Wound Variable Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-00-809-8676

Section Quantity:
1
Reliability Indicator:
Not established
Overall Height:
1.375 inches
Overall Width:
1.266 inches
First Flat Length:
0.343 inches
Flat Height:
0.216 inches
Shaft Diameter:
0.250 inches
Shaft Length:
0.781 inches
Mounting Bushing Length:
0.375 inches
Shaft Style:
Round, flatted
Actuator Type:
Single shaft
Nonturn Device Location:
At 9 oclock
Nonturn Device Radius:
0.531 inches
Switch Contact Arrangement:
Double pole, single throw, normally open
Screw Thread Diameter:
0.375 inches
Screw Thread Series Designator:
Unef
Screw Thready Qty Per Inch (tpi):
32.0
Mounting Method:
-
Electrical Resistance Per Section:
Resistance Tolerance Per Section In Percent:
-10.0/+10.0 single section
Switch Current Type And Rating In Amps:
50.000 ohms single section  Resistance Tolerance Per Section In Percent: -10.0/+10.0 single section

3.000 ac/dc

## NSN 5905-00-809-8676

Nonprecision Wire Wound Variable Resistor - Page 2 of 2



Fiig: A002a0