

View Online at <https://aerobasegroup.com/nsn/5905-00-823-3504>

Section Quantity:

2

Body Style:

Rectangular w/mounting holes/slots

Reliability Indicator:

Not established

Overall Length:

1.265 inches

Overall Height:

0.650 inches

Overall Width:

0.260 inches

Mounting Hole Diameter:

0.086 inches

Body Length:

1.265 inches

Body Width:

0.265 inches

Body Height:

0.650 inches

Actuator Type:

Flush drive with slot-hole

Effective Electrical Rotation In Deg Angular Rotation:

Between 5760.0 and 16920.0

Lateral Distance Between Mounting Hole Centers:

1.015 inches

Mounting Facility Quantity:

2

Terminal Location:

Rear end

Mounting Method:

Unthreaded hole

Electrical Resistance Per Section:

500.0 ohms all sections

Rotary Actuator Travel In Angular Deg:

Between 5760.0 and 16920.0

Ambient Temperature In Deg Celsius Per Section At Zero Percent Rated Power:

150.0 all sections

Power Dissipation Rating Per Section In Watts:

2.0 free air all sections

Resistance Tolerance Per Section In Percent:

-5.0/+5.0 all sections

Actuator Travel Control Feature:

Clutch

Temperature Coefficient Of Resistance Wire Per Section In Ppm Per Deg Celsius:

-20.0/+20.0 all sections

Ambient Temperature In Deg Celsius Per Section At Full Rated Power:

50.0 all sections

Standard Taper Curve Per Section:

A all sections

Special Features:

One separate slotted shaft for each sect, adjustment slots are flush w/case

Test Data Document:

10001-2074792 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

Terminal Type And Quantity:

4 wire lead

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A002a0