

View Online at https://aerobasegroup.com/nsn/5905-00-833-7001

Section Quantity:

1

Body Style: Cylindrical bushing mounted Reliability Indicator: Not established Body Diameter: 0.495 mils and 0.505 centimeters Shaft Diameter: Between 0.1248 inches and 0.1251 inches Shaft Length: Between 0.690 inches and 0.710 inches Mounting Bushing Length: Between 0.297 inches and 0.327 inches Body Length: Between 0.300 inches and 0.310 inches Shaft Style:

Round

Shaft Bearing Type:

Sleeve

Actuator Type:

Single shaft

Effective Electrical Rotation In Deg Angular Rotation:

320.0

Maximum Starting Torque:

0.20 inch-ounces

Maximum Running Torque:

0.20 inch-ounces

Maximum Stop Torque:

80.00 inch-ounces

Shaft End Play:

0.006 inches

Shaft Runout:

0.002 inches

Lateral Runout:

0.003 inches

Pilot Diameter Runout:

0.002 inches

Shaft Radial Play:

0.003 inches

Fragility Factor:

Moderately rugged



Screw Thread Diameter: 0.250 inches **Screw Thread Series Designator:** Unef Screw Thready Qty Per Inch (tpi): 32.0 **Terminal Location:** Rear end **Mounting Method:** Standard bushing **Features Provided:** Humidity proof **Cubic Measure:** 0.060 cubic inches **Electrical Resistance Per Section:** 1.0 percent, rated amperes c and better flooring **Rotary Actuator Travel In Angular Deg:** 360.0 **Function Conformity Tolerance Per Section:** -1.00/+1.00 single section Ambient Tempurature In Deg Celsius Per Section At Zero Percent Rated Power: 125.0 single section Tempurature Coefficient Of Resistance Per Section In Ppm Per Deg Celsius: -20.0/+20.0 single section **Power Dissipation Rating Per Section In Watts:** 2.0 7th secondary quality **Function Conformity Per Section:** Single section independent linearity **Resistance Tolerance Per Section In Percent:** -5.0/+5.0 single section **Actuator Travel Control Feature:** Continuous motion **Function Characteristic Per Section:** 7 oclock all primaries Ambient Tempurature In Deg Celsius Per Section At Full Rated Power: 40.0 single section **Terminal Type And Quantity:** 3 turret Shelf Life: N/a Unit Of Measure: **Demilitarization:**

No

NSN 5905-00-833-7001

Precision Wire Wound Variable Resistor - Page 3 of 3

Fiig: A002a0

