

View Online at <https://aerobasegroup.com/nsn/5905-00-837-3511>

Section Quantity:

2

Body Style:

Cylindrical bushing mounted

Reliability Indicator:

Not established

Overall Length:

2.469 inches

Body Diameter:

Between 1.094 inches and 1.312 inches

Shaft Diameter:

Between 0.185 inches and 0.263 inches

Shaft Length:

Between 1.031 inches and 1.531 inches

Mounting Bushing Length:

0.375 inches

Body Length:

Between 0.953 inches and 0.984 inches

Shaft Style:

Round

Actuator Type:

Dual concentric

Screw Thread Diameter:

0.375 inches

Screw Thread Series Designator:

Unef

Screw Thread Qty Per Inch (tpi):

32.0

Terminal Location:

Radially positioned over less than half the circumference

Mounting Method:

Standard bushing

Electrical Resistance Per Section:

25.0 percent, rated amperes c and better industrial clears

Rotary Actuator Travel In Angular Deg:

315.0

Power Dissipation Rating Per Section In Watts:

2.0 free air all sections

Resistance Tolerance Per Section In Percent:

-20.0/+20.0 all sections

Actuator Travel Control Feature:

Stops

Ambient Temperature In Deg Celsius Per Section At Full Rated Power:

70.0 all sections

Standard Taper Curve Per Section:

A all sections

Terminal Type And Quantity:

6 tab, solder lug

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A002a0