Precision Wire Wound Variable Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-00-837-4471

### Section Quantity:

2

Body Style:

Cylindrical

## Reliability Indicator:

Not established

#### **Overall Length:**

2.906 inches

#### Body Diameter:

1.672 inches

### Shaft Diameter:

0.250 inches

#### Shaft Length:

1.000 inches

#### Body Length:

1.406 inches

## Overall Diameter:

1.938 inches

# Shaft Style:

Round

#### Actuator Type:

Single shaft

### Effective Electrical Rotation In Deg Angular Rotation:

280.0

#### Maximum Starting Torque:

2.00 inch-ounces

#### Maximum Running Torque:

2.00 inch-ounces

### **Terminal Location:**

Radially positioned over less than half the circumference

#### Mounting Method:

Tab

## **Electrical Resistance Per Section:**

100.000 kilohms all sections

# Rotary Actuator Travel In Angular Deg:

300.0

### Function Conformity Tolerance Per Section:

-0.50/+0.50 all sections

### Ambient Tempurature In Deg Celsius Per Section At Zero Percent Rated Power:

120.0 all sections

### Power Dissipation Rating Per Section In Watts:

3.0 free air all sections

AeroBase Group

# **Function Conformity Per Section:**

All sections independent linearity

#### **Resistance Tolerance Per Section In Percent:**

-5.0/+5.0 all sections

# Actuator Travel Control Feature:

Stops

# Function Characteristic Per Section:

All sections linear

## Ambient Tempurature In Deg Celsius Per Section At Full Rated Power:

40.0 single section

### Terminal Type And Quantity:

6 tab, solder lug

Shelf Life:

N/a

#### Unit Of Measure:

--

### Demilitarization:

No

### Fiig:

A002a0