# NSN 5905-00-838-3905

Precision Wire Wound Variable Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-00-838-3905

1

# **Body Style:**

Cylindrical servo mounted

# **Reliability Indicator:**

Not established

#### **Pilot Diameter:**

Between 1.87000 inches and 1.88000 inches

#### Pilot Length:

Between 0.05700 inches and 0.06700 inches

#### **Overall Length:**

Between 1.556 inches and 1.598 inches

#### **Undercut Diameter:**

Between 1.870 inches and 1.880 inches

#### **Undercut Width:**

Between 0.07300 inches and 0.08300 inches

#### **Body Diameter:**

Between 1.995 inches and 2.005 inches

#### **Shaft Diameter:**

Between 0.249 inches and 0.250 inches

# **Shaft Length:**

Between 0.546 inches and 0.578 inches

#### **Body Length:**

Between 1.010 inches and 1.020 inches

#### **Overall Diameter:**

Between 1.995 inches and 2.005 inches

# **Mounting Lip Diameter:**

Between 1.99500 inches and 2.00500 inches

#### **Mounting Lip Depth:**

Between 0.05700 inches and 0.06700 inches

# **Shaft Style:**

Round

#### **Actuator Type:**

Single shaft

# **Effective Electrical Rotation In Deg Angular Rotation:**

358.0

# **Maximum Starting Torque:**

1.50 inch-ounces

# **Maximum Running Torque:**

0.80 inch-ounces

#### **Terminal Location:**

Radially positioned over less than half the circumference

# NSN 5905-00-838-3905

Precision Wire Wound Variable Resistor - Page 2 of 2



Mounting Method:
Flange
Features Provided:
Nonmetallic shaft
Electrical Resistance Per Section:
10.000 kilohms single section
Rotary Actuator Travel In Angular Deg:
360.0
Function Conformity Tolerance Per Section:
-0.10/+0.10 single section
Ambient Tempurature In Deg Celsius Per Section At Zero Percent Rated Power:
125.0 single section
Power Dissipation Rating Per Section In Watts:
2.5 free air single section
Function Conformity Per Section:
Single section independent linearity
Fixed Tap Quantity Per Section:
1 single section
Resistance Tolerance Per Section In Percent:
-3.0/+3.0 single section
Actuator Travel Control Feature:
Continuous motion
Function Characteristic Per Section:
Single section linear
Ambient Tempurature In Deg Celsius Per Section At Full Rated Power:
80.0 single section
Terminal Type And Quantity:
3 turret
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A002a0