Nonprecision Wire Wound Variable Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-00-839-5389

### Section Quantity:

1

Body Style:

Rectangular w/mounting holes/slots

### **Reliability Indicator:**

Not established

#### Mounting Hole Diameter:

0.086 inches

#### Shaft Diameter:

0.125 inches

- Shaft Length:
- 0.030 inches

Body Length:

1.250 inches

#### Body Width:

0.250 inches

# Body Height:

0.312 inches

Shaft Style:

Round, slotted

Actuator Type:

Single shaft

#### Lateral Distance Between Mounting Hole Centers:

1.000 inches

#### **Mounting Facility Quantity:**

2

#### **Terminal Location:**

Lower adjacent side single row

#### **Mounting Method:**

Unthreaded hole

#### **Electrical Resistance Per Section:**

27.0 kilohms single section

#### Ambient Tempurature In Deg Celsius Per Section At Zero Percent Rated Power:

105.0 single section

#### **Power Dissipation Rating Per Section In Watts:**

0.25 free air single section

### **Resistance Tolerance Per Section In Percent:**

-10.0/+10.0 single section

### Ambient Tempurature In Deg Celsius Per Section At Full Rated Power:

25.0 single section

#### Standard Taper Curve Per Section:

A single section



## Terminal Type And Quantity:

3 tab, solder lug

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A002a0