## NSN 5905-00-841-8448

Inductive Wire Wound Fixed Resistor - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5905-00-841-8448

Electrical Resistance:
100.000 ohms
Resistance Tolerance In Percent:
-10.000/+10.000
Ambient Tempurature In Deg Celsius At Full Rated Power:
40.0
Ambient Tempurature In Deg Celsius At Zero Percent Rated Power:
340.0
Inclosure Method:
Encapsulated
Terminal Type:
Tab, solder lug
Reliability Indicator:
Not established
Terminal Length:
0.188 inches
Body Length:
1.000 inches
Body Width:
0.812 inches
Deduction in the
Body Height:
0.250 inches
0.250 inches
0.250 inches  Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:
0.250 inches  Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:  1.312 inches
0.250 inches  Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:  1.312 inches  Power Dissipation Rating In Watts:
0.250 inches  Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:  1.312 inches  Power Dissipation Rating In Watts:  20.000 free air
0.250 inches  Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:  1.312 inches  Power Dissipation Rating In Watts:  20.000 free air  Terminal Width:
0.250 inches  Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:  1.312 inches  Power Dissipation Rating In Watts:  20.000 free air  Terminal Width:  0.125 inches
0.250 inches  Distance Between Centerlines Of Mounting Facilities Parallel To Body Length: 1.312 inches  Power Dissipation Rating In Watts: 20.000 free air  Terminal Width: 0.125 inches  Mounting Hole Size:
0.250 inches  Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:  1.312 inches  Power Dissipation Rating In Watts:  20.000 free air  Terminal Width:  0.125 inches  Mounting Hole Size:  0.196 inches
0.250 inches  Distance Between Centerlines Of Mounting Facilities Parallel To Body Length: 1.312 inches  Power Dissipation Rating In Watts: 20.000 free air  Terminal Width: 0.125 inches  Mounting Hole Size: 0.196 inches  Style Designator:
0.250 inches  Distance Between Centerlines Of Mounting Facilities Parallel To Body Length: 1.312 inches  Power Dissipation Rating In Watts: 20.000 free air  Terminal Width: 0.125 inches  Mounting Hole Size: 0.196 inches  Style Designator:  Terminals one edge
0.250 inches  Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:  1.312 inches  Power Dissipation Rating In Watts:  20.000 free air  Terminal Width:  0.125 inches  Mounting Hole Size:  0.196 inches  Style Designator:  Terminals one edge  Shelf Life:
0.250 inches  Distance Between Centerlines Of Mounting Facilities Parallel To Body Length: 1.312 inches  Power Dissipation Rating In Watts: 20.000 free air  Terminal Width: 0.125 inches  Mounting Hole Size: 0.196 inches  Style Designator:  Terminals one edge  Shelf Life: N/a
0.250 inches  Distance Between Centerlines Of Mounting Facilities Parallel To Body Length: 1.312 inches  Power Dissipation Rating In Watts: 20.000 free air  Terminal Width: 0.125 inches  Mounting Hole Size: 0.196 inches  Style Designator:  Terminals one edge  Shelf Life: N/a
0.250 inches  Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:  1.312 inches  Power Dissipation Rating In Watts:  20.000 free air  Terminal Width:  0.125 inches  Mounting Hole Size:  0.196 inches  Style Designator:  Terminals one edge  Shelf Life:  N/a  Unit Of Measure:
Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:  1.312 inches  Power Dissipation Rating In Watts:  20.000 free air  Terminal Width:  0.125 inches  Mounting Hole Size:  0.196 inches  Style Designator:  Terminals one edge  Shelf Life:  N/a  Unit Of Measure:   Demilitarization: