NSN 5905-00-843-9347

Nonprecision Wire Wound Variable Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-00-843-9347

Section Quantity:
1
Body Style:
Rectangular w/mounting holes/slots
Terminal Length:
0.500 inches
Overall Width:
0.256 inches
Shaft Diameter:
0.125 inches
Body Length:
1.200 inches
Body Width:
0.256 inches
Shaft Style:
Round, slotted
Actuator Type:
Single shaft
Center To Center Distance Between Terminals:
0.600 inches
Lateral Distance Between Mounting Hole Centers:
0.950 inches
Terminal Location:
Lower adjacent side from adjustment control
Mounting Method:
Terminal
Center To Center Distance Between Terminal Rows:
0.100 inches
Electrical Resistance Per Section:
100.000 ohms single section
Rotary Actuator Travel In Angular Deg:
9000.0
Center To Center Distance Between Center Terminal And Outside Terminal:
0.300 inches
Power Dissipation Rating Per Section In Watts:
0.5 free air single section
Function Conformity Per Section:
Single section independent linearity
Resistance Tolerance Per Section In Percent:
-10.0/+10.0 single section
Actuator Travel Control Feature:

Continuous motion

NSN 5905-00-843-9347

Fiig: A002a0

Nonprecision Wire Wound Variable Resistor - Page 2 of 2



Function Characteristic Per Section:
Single section linear
Tempurature Coefficient Of Resistance Wire Per Section In Ppm Per Deg Celsius:
-20.0/+20.0 single section
Standard Taper Curve Per Section:
A single section
Terminal Type And Quantity:
3 pin
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No