NSN 5905-00-854-3007

Precision Wire Wound Variable Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-00-854-3007 **Section Quantity: Body Style:** Cylindrical servo mounted **Reliability Indicator:** Not established **Pilot Diameter:** Between 0.4372 inches and 0.4375 inches Pilot Length: Between 0.0570 inches and 0.0670 inches **Undercut Diameter:** Between 0.432 inches and 0.437 inches **Undercut Width:** Between 0.0570 inches and 0.0670 inches **Body Diameter:** Between 0.495 inches and 0.505 inches **Shaft Diameter:** 0.125 inches **Shaft Length:** 0.500 inches **Body Length:** Between 0.705 inches and 0.710 inches **Mounting Lip Diameter:** Between 0.4950 inches and 0.5050 inches **Mounting Lip Depth:** Between 0.0570 inches and 0.0670 inches **Shaft Style:** Round **Actuator Type:** Single shaft **Effective Electrical Rotation In Deg Angular Rotation:** 320.0 **Maximum Starting Torque:** 0.20 inch-ounces **Maximum Running Torque:** 0.20 inch-ounces **Maximum Stop Torque:** 80.00 inch-ounces **Terminal Location:** Rear end **Mounting Method:**

Clamp ring

NSN 5905-00-854-3007

Precision Wire Wound Variable Resistor - Page 2 of 2



Features Provided:
Nonmetallic shaft
Electrical Resistance Per Section:
1.0 kilohms single section
Tap Location From Ccw Terminal Per Section In Deg Of Effective Electrical Rotation:
325.0 single section
Rotary Actuator Travel In Angular Deg:
330.0
Function Conformity Tolerance Per Section:
-0.50/+0.50 single section
Ambient Tempurature In Deg Celsius Per Section At Zero Percent Rated Power:
125.0 single section
Power Dissipation Rating Per Section In Watts:
2.0 free air single section
Function Conformity Per Section:
Single section independent linearity
Fixed Tap Quantity Per Section:
1 single section
Resistance Tolerance Per Section In Percent:
-5.0/+5.0 single section
Actuator Travel Control Feature:
Continuous motion
Function Characteristic Per Section:
Single section linear
Tempurature Coefficient Of Resistance Wire Per Section In Ppm Per Deg Celsius:
-20.0/+20.0 single section
Ambient Tempurature In Deg Celsius Per Section At Full Rated Power:
40.0 single section
Terminal Type And Quantity:
2 tab, solder lug and 1 turret
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A002a0