

View Online at <https://aerobasegroup.com/nsn/5905-00-856-6684>

Section Quantity:

2

Body Style:

Rectangular

Reliability Indicator:

Not established

Thread Length:

0.720 inches

Overall Length:

5.415 inches

Overall Height:

Between 0.870 inches and 0.880 inches

Overall Width:

Between 0.490 inches and 0.510 inches

Shaft Length:

1.625 inches

Body Length:

Between 2.490 inches and 2.510 inches

Body Width:

Between 0.490 inches and 0.510 inches

Body Height:

Between 0.870 inches and 0.880 inches

Shaft Style:

Round, threaded

Actuator Type:

Single shaft

Screw Thread Diameter:

0.112 inches

Screw Thread Series Designator:

Unc

Screw Thread Qty Per Inch (tpi):

40.0

Mounting Facility Quantity:

4

Terminal Location:

Rear end

Mounting Method:

Threaded hole

Electrical Resistance Per Section:

2.0 percent, rated amperes c and better

Tap Location From Ccw Terminal Per Section In Deg Of Effective Electrical Rotation:

180.0 all sections

Power Dissipation Rating Per Section In Watts:

0.5 7th secondary at 10'30 oclock

Fixed Tap Quantity Per Section:

1 all sections

Tap Location Tolerance Per Section:

-2.0/+2.0 ohms all sections

Resistance Tolerance Per Section In Percent:

-10.0/+10.0 all sections

Ambient Temperature In Deg Celsius Per Section At Full Rated Power:

71.0 all sections

Standard Taper Curve Per Section:

A all sections

Test Data Document:

77272-ps428 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Terminal Type And Quantity:

8 wire lead

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A002a0