NSN 5905-00-857-5333

Noninductive Wire Wound Fixed Resistor - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5905-00-857-5333

20.0/420.0 Electrical Resistance: 100.000 kilohms Resistance Tolerance in Percent: -1.000/41.000 Ambient Tempurature in Deg Celsius At Full Rated Power: 125.0 Ambient Tempurature in Deg Celsius At Zero Percent Rated Power: 145.0 Ambient Tempurature Range Of Tempurature Coefficient in Deg Celsius: -65.0/4145.0 Inclosure Method: Encapsulated Terminal Type: Tab. solder lug Reliability Indicator: Not established Terminal Length: 0.375 inches Body Diameter: 0.562 inches Body Diameter: 0.562 inches Body Length: 1.000 inches Power Dissipation Rating in Watts: 0.580 five air Terminal Width: 0.188 inches Style Designator: Radial terminal each end Test Data Document: 81349-milr-93 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", ", etc.). Specification Data: 81349-milr-93/4 government specification Shoff Life: N/a Unit of Measure:	Tempurature Coefficient Of Resistance In Ppm Per Deg Celsius:
Electrical Resistance: 100.000 klohms Resistance Tolerance in Percent: -1.000/41.000 Ambient Tempurature in Deg Celsius At Full Rated Power: 125.0 Ambient Tempurature in Deg Celsius At Zero Percent Rated Power: 145.0 Tempurature Range Of Tempurature Coefficient in Deg Celsius: -85.0/+145.0 Inclosure Method: Encapsulated Terminal Type: Tab, solder lug Reliability Indicator: Note established Terminal Length: 0.375 inches Body Diameter: 0.375 inches Body Diameter: 0.382 inches Body Length: 1.000 inches Power Dissipation Rating in Watts: 0.0362 inches Solder lug Reliability Indicator: Noto free air Terminal Width: 0.188 inches Style Designator: Radial terminal each end Test Data Document: 81349-mil93 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, inclustry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", ", etc.). Specification Data: 81349-mil934 government specification Shelf Life: N'a Unit Of Measure:	
100.000 kilohms Resistance Tolerance in Percent: -1.000/+1.000 Ambient Tempurature in Deg Celsius At Full Rated Power: 125.0 Ambient Tempurature in Deg Celsius At Zero Percent Rated Power: 145.0 Tempurature Range Of Tempurature Coefficient in Deg Celsius: -65.0/+145.0 Inclosure Method: Encapsulated Terminal Type: Tab, solder lug Reliability Indicator: Not established Terminal Length: 0.375 inches Body Diameter: 0.562 inches Body Diameter: 0.5050 inches Body Length: 1.000 inches Power Dissipation Rating in Watts: 0.500 free air Terminal Width: 0.188 inches Style Designator: Readial terminal each end Test Data Document: 81349-mil-1-93 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", ", etc.). Specification Data: 81349-mil-1-93/4 government specification Sheff Lite: N/a Unit Of Measure:	
Resistance Tolerance in Percent: -1.000/+1.000 Ambient Tempurature in Deg Celsius At Full Rated Power: 125.0 Ambient Tempurature in Deg Celsius At Zero Percent Rated Power: 145.0 Tempurature Range Of Tempurature Coefficient in Deg Celsius: -65.0/+145.0 Inclosure Method: Encapsulated Terminal Type:	
-1.000/+1.000 Ambient Tempurature in Deg Celsius At Full Rated Power: 125.0 Tempurature Range Of Tempurature Coefficient in Deg Celsius: -65.04+145.0 Inclosure Method: Encapsulated Terminal Type: -1ab, solder lug Reliability Indicator: Not established Terminal Length: 0.375 inches Body Diameter: 0.582 inches Body Length: 1.000 inches Power Dissipation Rating In Watts: 0.380 inches Style Designator: Radial terminal each end Test Data Document: 81349-mil+-93 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Specification Data: 81349-mil+-93/4 government specification Sheff Life: N/a Unit Of Measure:	
Ambient Tempurature In Deg Celsius At Full Rated Power: 125.0 Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 145.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: -65.0/+145.0 Inclosure Method: Encapsulated Terminal Type: Tab, solder lug Reliability Indicator: Not established Terminal Length: 0.375 inches Body Diameter: 0.562 inches Body Length: 1.000 inches Power Dissipation Rating In Watts: 0.500 free air Terminal Width: 0.188 inches Style Designator: Radial terminal each end Test Data Document: 81349-mill-93 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", ", etc.). Specification Data: 81349-mill-93/4 government specification Shelf Life: N/a Unit Of Measure:	
Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 145.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: 465.0 4+145.0 Inclosure Method: Encapsulated Terminal Type: Tab, solder lug Reliability Indicator: Not established Terminal Length: 0.375 inches Body Diameter: 0.0562 inches Body Length: 1.000 inches Power Dissipation Rating In Watts: 0.500 free air Terminal Width: 0.188 inches Style Designator: Radial terminal each end Test Data Document: 81349-mill-93 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Specification Data: 81349-mill-9349 government specification Shelf Life: Na Unit Of Measure:	
Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 145.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: -65.0/+145.0 Inclosure Method: Encapsulated Terminal Type: -7ab, solder lug Reliability Indicator: Note established Terminal Length: 0.375 inches Body Diameter: 0.582 inches Body Diameter: 0.582 inches Body Length: 1.000 inches Power Dissipation Rating In Watts: 0.580 inches Sylve Designator: Radial terminal each end Test Data Document: 8x1349-mil93 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", ", etc.). Specification Data: 81349-mil9349 government specification Sherili9349 government specification	· · · · · · · · · · · · · · · · · · ·
Tempurature Range Of Tempurature Coefficient In Deg Celsius: -65.04-145.0 Inclosure Method: Encapsulated Terminal Type: Tab, solder lug Reliability Indicator: Not established Terminal Length: 0.375 inches Body Diameter: 0.562 inches Body Length: 1.000 inches Power Dissipation Rating In Watts: 0.500 free air Terminal Width: 0.188 inches Style Designator: Radial terminal each end Test Data Document: 81349-milr-93 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", ", etc.). Specification Data: 81349-milr-93/4 government specification Shelf Life: N/a Unit Of Measure:	
Tempurature Range Of Tempurature Coefficient In Deg Celsius: -65.0/+145.0 Inclosure Method: Encapsulated Terminal Type: -Tab, solder lug Reliability Indicator: Not established Terminal Length: 0.375 inches Body Diameter: 0.562 inches Body Diameter: 0.562 inches Body Length: 1.000 inches Power Dissipation Rating in Watts: 0.500 free air Terminal Width: 0.188 inches Style Designator: Radial terminal each end Test Data Document: 81349-milr-93 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Specification Data: 81349-milr-93/4 government specification Shelf Life: N/a Unit Of Measure:	
-65.0/+145.0 Inclosure Method: Encapsulated Terminal Type: Tab, solder lug Rellability Indicator: Not established Terminal Length: 0.375 inches Body Diameter: 0.562 inches Body Dength: 1.000 inches Power Dissipation Rating In Watts: 0.500 free air Terminal Width: 0.188 inches Style Designator: Radial terminal each end Test Data Document: 81349-mill-r-93 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Specification Data: 81349-mil-r-93/4 government specification Shelf Life: N/a Unit Of Measure:	
Inclosure Method: Encapsulated Terminal Type: Tab, solder lug Reliability Indicator: Not established Terminal Length: 0.375 inches Body Diameter: 0.562 inches Body Diameter: 0.562 inches Body Length: 1.000 inches Power Dissipation Rating In Watts: 0.500 free air Terminal Width: 0.188 inches Style Designator: Radial terminal each end Test Data Document: 81349-mil-r-93 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, inclustry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Specification Data: 81349-mil-r-93/4 government specification Shelf Life: N/a Unit Of Measure:	
Encapsulated Terminal Type: Tab, solder lug Reliability Indicator: Not established Terminal Length: 0.375 inches Body Diameter: 0.562 inches Body Length: 1.000 inches Power Dissipation Rating In Watts: 0.500 free air Terminal Width: 0.188 inches Style Designator: Radial terminal each end Test Data Document: 81349-mill-r-93 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Specification Data: 81349-mil-r-93/4 government specification Shelf Life: N/a Unit Of Measure:	
Terminal Type: Tab, solder lug Reliability Indicator: Not established Terminal Length: 0.375 inches Body Diameter: 0.562 inches Body Length: 1.000 inches Power Dissipation Rating In Watts: 0.500 free air Terminal Width: 0.188 inches Style Designator: Radial terminal each end Test Data Document: 81349-mil-r-93 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Specification Data: 81349-mil-r-93/4 government specification Shelf Life: N/a Unit Of Measure:	
Tab, solder lug Reliability Indicator: Not established Terminal Length: 0.375 inches Body Diameter: 0.562 inches Body Length: 1.000 inches Power Dissipation Rating In Watts: 0.500 free air Terminal Width: 0.188 inches Style Designator: Radial terminal each end Test Data Document: 81349-mil-r-93 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Specification Data: 81349-mil-r-93/4 government specification Shelf Life: N/a Unit Of Measure:	
Reliability Indicator: Not established Terminal Length: 0.375 inches Body Diameter: 0.562 inches Body Length: 1.000 inches Power Dissipation Rating In Watts: 0.500 free air Terminal Width: 0.188 inches Style Designator: Radial terminal each end Test Data Document: 81349-mil93 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Specification Data: 81349-mil-r-93/4 government specification Shelf Life: N/a Unit Of Measure:	
Note stablished Terminal Length: 0.375 inches Body Diameter: 0.562 inches Body Length: 1.000 inches Power Dissipation Rating In Watts: 0.500 free air Terminal Width: 0.188 inches Style Designator: Radial terminal each end Test Data Document: 81349-mil-r-93 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Specification Data: 81349-mil-r-93/4 government specification Shelf Life: N/a Unit Of Measure:	-
Terminal Length: 0.375 inches Body Diameter: 0.562 inches Body Length: 1.000 inches Power Dissipation Rating In Watts: 0.500 free air Terminal Width: 0.188 inches Style Designator: Radial terminal each end Test Data Document: 81349-mil-r-93 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Specification Data: 81349-mil-r-93/4 government specification Shelf Life: N/a Unit Of Measure:	
0.375 inches Body Diameter: 0.562 inches Body Length: 1.000 inches Power Dissipation Rating In Watts: 0.500 free air Terminal Width: 0.188 inches Style Designator: Radial terminal each end Test Data Document: 81349-mil-r-93 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Specification Data: 81349-mil-r-93/4 government specification Shelf Life: N/a Unit Of Measure:	Not established
Body Diameter: 0.562 inches Body Length: 1.000 inches Power Dissipation Rating In Watts: 0.500 free air Terminal Width: 0.188 inches Style Designator: Radial terminal each end Test Data Document: 81349-mil-r-93 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Specification Data: 81349-mil-r-93/4 government specification Shelf Life: N/a Unit Of Measure:	Terminal Length:
0.562 inches Body Length: 1.000 inches Power Dissipation Rating In Watts: 0.500 free air Terminal Width: 0.188 inches Style Designator: Radial terminal each end Test Data Document: 81349-mil-r-93 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Specification Data: 81349-mil-r-93/4 government specification Shelf Life: N/a Unit Of Measure:	0.375 inches
Body Length: 1.000 inches Power Dissipation Rating In Watts: 0.500 free air Terminal Width: 0.188 inches Style Designator: Radial terminal each end Test Data Document: 81349-mil-r-93 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Specification Data: 81349-mil-r-93/4 government specification Shelf Life: N/a Unit Of Measure:	Body Diameter:
1.000 inches Power Dissipation Rating In Watts: 0.500 free air Terminal Width: 0.188 inches Style Designator: Radial terminal each end Test Data Document: 81349-mil-r-93 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Specification Data: 81349-mil-r-93/4 government specification Shelf Life: N/a Unit Of Measure:	0.562 inches
Power Dissipation Rating In Watts: 0.500 free air Terminal Width: 0.188 inches Style Designator: Radial terminal each end Test Data Document: 81349-mil-r-93 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Specification Data: 81349-mil-r-93/4 government specification Shelf Life: N/a Unit Of Measure:	Body Length:
0.500 free air Terminal Width: 0.188 inches Style Designator: Radial terminal each end Test Data Document: 81349-mil-r-93 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Specification Data: 81349-mil-r-93/4 government specification Shelf Life: N/a Unit Of Measure:	1.000 inches
Terminal Width: 0.188 inches Style Designator: Radial terminal each end Test Data Document: 81349-mil-r-93 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Specification Data: 81349-mil-r-93/4 government specification Shelf Life: N/a Unit Of Measure:	Power Dissipation Rating In Watts:
O.188 inches Style Designator: Radial terminal each end Test Data Document: 81349-mil-r-93 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Specification Data: 81349-mil-r-93/4 government specification Shelf Life: N/a Unit Of Measure:	0.500 free air
Style Designator: Radial terminal each end Test Data Document: 81349-mil-r-93 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Specification Data: 81349-mil-r-93/4 government specification Shelf Life: N/a Unit Of Measure:	Terminal Width:
Radial terminal each end Test Data Document: 81349-mil-r-93 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Specification Data: 81349-mil-r-93/4 government specification Shelf Life: N/a Unit Of Measure:	0.188 inches
Test Data Document: 81349-mil-r-93 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Specification Data: 81349-mil-r-93/4 government specification Shelf Life: N/a Unit Of Measure:	Style Designator:
81349-mil-r-93 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Specification Data: 81349-mil-r-93/4 government specification Shelf Life: N/a Unit Of Measure:	Radial terminal each end
excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Specification Data: 81349-mil-r-93/4 government specification Shelf Life: N/a Unit Of Measure:	Test Data Document:
and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Specification Data: 81349-mil-r-93/4 government specification Shelf Life: N/a Unit Of Measure:	81349-mil-r-93 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format;
Specification Data: 81349-mil-r-93/4 government specification Shelf Life: N/a Unit Of Measure:	excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental
81349-mil-r-93/4 government specification Shelf Life: N/a Unit Of Measure:	and performance requirements and test conditions that are shown as "typical", "average", "", etc.).
Shelf Life: N/a Unit Of Measure:	Specification Data:
N/a Unit Of Measure:	81349-mil-r-93/4 government specification
Unit Of Measure:	Shelf Life:
	N/a
	Unit Of Measure:
	
Demilitarization:	Demilitarization:
No	

Fiig: A001a0