NSN 5905-00-857-5958

Fiig: A001a0

Noninductive Wire Wound Fixed Resistor - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5905-00-857-5958

20.0420.0 Electrical Resistance: 8.010 kilohms Resistance Tolerance in Percent: -1.000/+1.000 Ambient Tempurature In Deg Celsius At Full Rated Power: 125.0 Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 145.0 Ambient Tempurature Range Of Tempurature Coefficient in Deg Celsius: -65.0/+145.0 Inclosure Method: Encapsulated Terminal Type: Tab, solder lug Reliability indicator: Not established Terminal Length: 0.375 inches Body Diameter: 0.362 inches Body Length: 0.625 inches Body Length: 0.625 inches Rody Length: 0.625 inches Rody Length: 0.626 inches Rody Length: 0.626 inches Rody Length: 0.626 inches Rody Length: 0.627 inches Rody Length: 0.628 inches Rody Length: 0.628 inches Rody Length: 0.628 inches Rody Length: 0.629 inches Rody Length: 0.629 inches Rody Length: 0.628 inches Rody Length: 0.628 inches Rody Length: 0.629 inches Rody Length: 0.629 inches Rody Length: 0.629 inches Rody Length: 0.628 inches Rody Length: 0.628 inches Rody Length: 0.629 inches Rody Length: 0.620	Tempurature Coefficient Of Resistance In Ppm Per Deg Celsius:
Electrical Resistance: 6.810 kilohms Resistance Tolerance in Percent: -1.000/4-1.000 Ambient Tempurature in Deg Celsius At Full Rated Power: 125.0 Ambient Tempurature in Deg Celsius At Zero Percent Rated Power: 145.0 Tempurature Range Of Tempurature Coefficient in Deg Celsius: -65.0/4-145.0 Inclosure Method: Encapsulated Terminal Type: -7 Tab, solder lug Reliability Indicator: Not established Terminal Length: 0.375 inches Body Diameter: 0.562 inches Body Length: 0.382 inches Power Dissipation Rating in Watts: 0.333 free air Terminal Width: 0.188 inches Style Designator: Radial Decument: 48-49-491-493 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format, excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", ", etc.). Specification Data: Na Unit Of Measure:	
Resistance Tolerance In Percent: -1.000/41.000 Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 125.0 Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 145.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: -65.0/4145.0 Inclosure Method: Encapsulated Terminal Type: Tab, solder lug Reliability Indicator: Not established Terminal Length: -0.375 inches Body Langth: -0.525 inches Body Diameter: -0.525 inches Power Dissipation Rating in Watts: -0.333 free air Terminal Width: -0.188 inches Style Designator: Radial terminal each end Test Data Document: -1.7545 Data Data Document: -1.7545 Data Data Data Data Data Data Data Dat	
Resistance Tolerance In Percent: -1,000/-1,000 Ambient Tempurature In Deg Celsius At Full Rated Power: 125.0 Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 145.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: -45.0,0/+145.0 Inclosure Method: Encapsulated Terminal Type: Tab, solder lug Reliability Indicator: Not established Terminal Length: 0.375 inches Body Diameter: 0.562 inches Body Diameter: 0.562 inches Rody Length: 0.625 inches Sody Ength: 0.625 inches Sody Ength: 0.636 inches Style Designator: Radial terminal each end Test Data Document: 81349-mil-p3 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications. reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Specification Data: 8134993/3 government specification Shelf Life: Na Unit Of Measure: - Demilitarization:	
1.000/4.000 Ambient Tempurature In Deg Celsius At Full Rated Power: 125.0 Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 145.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: -65.0/4-145.0 Inclosure Method: Encapsulated Terminal Type: Tab. solder lug Reliability Indicator: Note established Terminal Length: 0.375 inches Body Diameter: 0.562 inches Body Length: 0.625 inches Body Length: 0.625 inches Power Dissipation Rating In Watts: 0.333 free air Terminal Width: 0.188 inches Style Designator: Radial terminal each end Test Data Document: 81349-mil-93 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format, excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", ", etc.). Specification Data: 81349-rs9/3 government specification Shelf Life: Na Unit Of Measure: Demilitarization:	
Ambient Tempurature In Deg Celsius At Full Rated Power: 125.0 Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 145.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: -45.0/+145.0 Inclosure Method: Encapsulated Terminal Type: Tab, solder lug Reliability Indicator: Not established Terminal Length: 0.375 inches Body Diameter: 0.552 inches Body Length: 0.625 inches Body Length: 0.625 inches Power Dissipation Rating In Watts: 0.333 free air Terminal Width: 0.188 inches Style Designator: Radial terminal each end Test Data Document: 81349-mil93 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Specification Data: 8149493/3 government specification Shelf Life: Na Unit of Measure:	
Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 145.0 Ambient Tempurature Range Of Tempurature Coefficient In Deg Celsius: -65.0/+145.0 Inclosure Method: Encapsulated Terminal Type: Tab, solder fug Reliability Indicator: Not established Terminal Length: 0.375 inches Body Diameter: 0.562 inches Body Length: 0.625 inches Body Length: 0.333 free air Terminal Width: 0.188 inches Style Designator: Radial terminal each end Test Data Document: 81349-mil-r-93 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Specification Data: 81349-r-93/3 government specification Shelf Life: Via Unit Of Measure:	
Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 145.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: -65.0/+145.0 Inclosure Method: Encapsulated Terminal Type: Tab., solder lug Reliability Indicator: Not established Terminal Length: 0.375 inches Body Jameter: 0.562 inches Body Jameter: 0.562 inches Power Dissipation Rating In Watts: 0.335 fiee air Terminal Width: 0.188 inches Style Designator: Radial terminal each end Test Data Document: 81349-mail-93 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", ", etc.). Specification Data: 81349-n-93/3 government specification Sheff Life: Via Unit Of Measure:	
Tempurature Range Of Tempurature Coefficient In Deg Celsius: -65.0/+145.0 Inclosure Method: Encapsulated Terminal Type: Tab, solder lug Reliability Indicator: Not established Terminal Length: 0.375 inches Body Diameter: 0.562 inches Body Diameter: 0.562 inches Power Dissipation Rating In Watts: 0.333 free air Terminal Width: 0.188 inches Style Designator: Radial terminal each end Test Data Document: 81349-n914-r93 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", ", etc.). Specification Data: 81349-r-93/3 government specification Shelf Life: Via Unit Of Measure:	
Tempurature Range Of Tempurature Coefficient in Deg Celsius: -65.0/+145.0 Inclosure Method: Encapsulated Terminal Type: Tab, solder lug Reliability Indicator: Not established Terminal Length: 0.375 inches Body Diameter: 0.562 inches Body Length: 0.625 inches Body Length: 0.625 inches Power Dissipation Rating In Watts: 0.333 free air Terminal Width: 0.188 inches Style Designator: Radial terminal each end Test Data Document: excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Specification Data: 81349-mil-19-33/3 government specification Shelf Life: N/a Unit Of Measure: Demilitarization:	
-65.0/+145.0 Inclosure Method: Encapsulated Terminal Type: Tab, solder lug Reliability Indicator: Not established Terminal Length: 0.375 inches Body Diameter: 0.562 inches Body Length: 0.625 inches Body Length: 0.625 inches Power Dissipation Rating In Watts: 0.333 free air Terminal Width: 0.188 inches Style Designator: Radial terminal each end Test Data Document: 81349-mil-r-93 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format, excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", ", etc.). Specification Data: 81349-r93/3 government specification Shelf Life: Via Unit Of Measure: Demilitarization:	
Inclosure Method: Encapsulated Terminal Type: Tab, solder lug Reliability Indicator: Not established Terminal Length: 0.375 inches Body Diameter: 0.362 inches Body Length: 0.625 inches Power Dissipation Rating In Watts: 0.333 free air Terminal Width: 0.188 inches Style Designator: Radial terminal each end Test Data Document: 81349-mil93 specification (includes engineering type builletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Specification Data: 81349-r-93/3 government specification Shelf Life: Na Unit Of Measure: Demilitarization:	
Encapsulated Terminal Type: Tab, solder lug Reliability Indicator: Not established Terminal Length: 0.375 inches Body Diameter: 0.562 inches Body Length: 0.625 inches Body Length: 0.625 inches Power Dissipation Rating In Watts: 0.333 free air Terminal Width: 0.188 inches Style Designator: Radial terminal each end Test Data Document: 81349-mill-r-93 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Specification Data: 81349-r-93/3 government specification Shelf Life: N/a Unit Of Measure: Demilitarization:	
Terminal Type: Tab, solder lug Reliability Indicator: Not established Terminal Length: 0.375 inches Body Diameter: 0.562 inches Body Length: 0.625 inches Power Dissipation Rating In Watts: 0.338 free air Terminal Width: 0.188 inches Style Designator: Radial terminal each end Test Data Document: 81349-mil-r-93 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Specification Data: 81349-r-93/3 government specification Shelf Life: Na Unit Of Measure: Demilitarization:	
Tab, solder lug Reliability Indicator: Not established Terminal Length: 0.375 inches Body Diameter: 0.562 inches Body Length: 0.625 inches Power Dissipation Rating In Watts: 0.333 free air Terminal Width: 0.188 inches Style Designator: Radial terminal each end Test Data Document: 81349-mil-r-93 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Specification Data: 81349-r-93/3 government specification Shelf Life: N/a Unit Of Measure: Demilitarization:	
Reliability Indicator: Not established Terminal Length: 0.375 inches Body Diameter: 0.562 inches Body Length: 0.625 inches Power Dissipation Rating In Watts: 0.333 free air Terminal Width: 0.188 inches Style Designator: Radial terminal each end Test Data Document: 81349-r-93 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain envirronmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.): Specification Data: 81349-r-93/3 government specification Shelf Life: N/a Unit Of Measure:	
Note established Terminal Length: 0.375 inches Body Diameter: 0.562 inches Body Length: 0.625 inches Power Dissipation Rating In Watts: 0.333 free air Terminal Width: 0.188 inches Style Designator: Radial terminal each end Test Data Document: 81349-mil-r-93 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Specification Data: 81349-r-93/3 government specification Shelf Life: N/a Unit Of Measure:	
Terminal Length: 0.375 inches Body Diameter: 0.562 inches Body Length: 0.625 inches Power Dissipation Rating In Watts: 0.333 free air Terminal Width: 0.188 inches Style Designator: Radial terminal each end Test Data Document: 81349-mil-r-93 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", ***, etc.). Specification Data: 81349-r-93/3 government specification Shelf Life: N/a Unit Of Measure:	
0.375 inches Body Diameter: 0.562 inches Body Length: 0.625 inches Power Dissipation Rating In Watts: 0.333 free air Terminal Width: 0.188 inches Style Designator: Radial terminal each end Test Data Document: 81349-mil-r-93 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Specification Data: 81349-r-93/3 government specification Shelf Life: N/a Unit Of Measure: Demilitarization:	
Body Diameter: 0.562 inches Body Length: 0.625 inches Power Dissipation Rating In Watts: 0.333 free air Terminal Width: 0.188 inches Style Designator: Radial terminal each end Test Data Document: 81349-mil-r-93 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Specification Data: 81349-r-93/3 government specification Shelf Life: N/a Unit Of Measure: Demilitarization:	-
0.562 inches Body Length: 0.625 inches Power Dissipation Rating In Watts: 0.333 free air Terminal Width: 0.188 inches Style Designator: Radial terminal each end Test Data Document: 81349-mil-r-93 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Specification Data: 81349-r-93/3 government specification Shelf Life: N/a Unit Of Measure: Demilitarization:	
Body Length: 0.625 inches Power Dissipation Rating In Watts: 0.333 free air Terminal Width: 0.188 inches Style Designator: Radial terminal each end Test Data Document: 81349-mil-r-93 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Specification Data: 81349-r-93/3 government specification Shelf Life: N/a Unit Of Measure: Demilitarization:	
0.625 inches Power Dissipation Rating In Watts: 0.333 free air Terminal Width: 0.188 inches Style Designator: Radial terminal each end Test Data Document: 81349-mil-r-93 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Specification Data: 81349-r-93/3 government specification Shelf Life: N/a Unit Of Measure: Demilitarization:	
Power Dissipation Rating In Watts: 0.333 free air Terminal Width: 0.188 inches Style Designator: Radial terminal each end Test Data Document: 81349-mil-r-93 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Specification Data: 81349-r-93/3 government specification Shelf Life: N/a Unit Of Measure: Demilitarization:	
0.333 free air Terminal Width: 0.188 inches Style Designator: Radial terminal each end Test Data Document: 81349-mil-r-93 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Specification Data: 81349-r-93/3 government specification Shelf Life: N/a Unit Of Measure: Demilitarization:	
Terminal Width: 0.188 inches Style Designator: Radial terminal each end Test Data Document: 81349-mil-r-93 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Specification Data: 81349-r-93/3 government specification Shelf Life: N/a Unit Of Measure: Demilitarization:	
O.188 inches Style Designator: Radial terminal each end Test Data Document: 81349-mil-r-93 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Specification Data: 81349-r-93/3 government specification Shelf Life: N/a Unit Of Measure: Demilitarization:	
Style Designator: Radial terminal each end Test Data Document: 81349-mil-r-93 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Specification Data: 81349-r-93/3 government specification Shelf Life: N/a Unit Of Measure: Demilitarization:	
Radial terminal each end Test Data Document: 81349-mil-r-93 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Specification Data: 81349-r-93/3 government specification Shelf Life: N/a Unit Of Measure: Demilitarization:	
Test Data Document: 81349-mil-r-93 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Specification Data: 81349-r-93/3 government specification Shelf Life: N/a Unit Of Measure: Demilitarization:	
81349-mil-r-93 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Specification Data: 81349-r-93/3 government specification Shelf Life: N/a Unit Of Measure: Demilitarization:	
excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Specification Data: 81349-r-93/3 government specification Shelf Life: N/a Unit Of Measure: Demilitarization:	
and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Specification Data: 81349-r-93/3 government specification Shelf Life: N/a Unit Of Measure: Demilitarization:	
Specification Data: 81349-r-93/3 government specification Shelf Life: N/a Unit Of Measure: Demilitarization:	
81349-r-93/3 government specification Shelf Life: N/a Unit Of Measure: Demilitarization:	
Shelf Life: N/a Unit Of Measure: Demilitarization:	
Unit Of Measure: Demilitarization:	
Unit Of Measure: Demilitarization:	N/a
Demilitarization:	
	
	Demilitarization:
	No