NSN 5905-00-857-8289

Precision Wire Wound Variable Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-00-857-8289

9 F
Section Quantity:
3
Reliability Indicator:
Not established
Overall Length:
3.047 inches
Shaft Diameter:
0.187 inches
Shaft Length:
0.453 inches
Overall Diameter:
1.750 inches
Mounting Hole/stud Circle Diameter:
0.625 inches
Actuator Type:
Single shaft
Effective Electrical Rotation In Deg Angular Rotation:
1080.0
Maximum Starting Torque:
3.00 inch-ounces
Maximum Running Torque:
3.00 inch-ounces
Mounting Facility Quantity:
4
Mounting Method:
Threaded hole
Electrical Resistance Per Section:
30.000 kilohms single section
Function Conformity Tolerance Per Section:
-0.125/+0.125 single section
Power Dissipation Rating Per Section In Watts:
1.0 free air single section
Function Conformity Per Section:
Single section independent linearity
Fixed Tap Quantity Per Section:
1 single section
Tap Location Tolerance Per Section:
-1.0/+1.0 degrees angular rotation single section
Resistance Tolerance Per Section In Percent:
-5.0/+5.0 single section
Ambient Tempurature In Deg Celsius Per Section At Full Rated Power:

95.0 single section

NSN 5905-00-857-8289

Precision Wire Wound Variable Resistor - Page 2 of 2



Terminal	Type	And	Quantity:
-----------------	------	-----	-----------

12 tab, solder lug

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A002a0