## NSN 5905-00-858-3889

Nonprecision Wire Wound Variable Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-00-858-3889 **Section Quantity: Body Style:** Rectangular w/mounting holes **Reliability Indicator:** Not established **Overall Length:** Between 0.632 inches and 0.702 inches **Terminal Length:** Between 0.172 inches and 0.202 inches **Overall Height:** 0.375 inches **Overall Width:** Between 0.175 inches and 0.195 inches **Mounting Hole Diameter:** Between 0.072 inches and 0.082 inches **Shaft Diameter:** Between 0.091 inches and 0.095 inches **Shaft Length:** Between 0.065 inches and 0.085 inches **Body Length:** Between 0.395 inches and 0.415 inches **Body Width:** Between 0.175 inches and 0.195 inches **Body Height:** 0.375 inches **Shaft Style:** Round, slotted **Actuator Type:** Single shaft **Center To Center Distance Between Terminals:** 0.200 inches **Lateral Distance Between Mounting Hole Centers:** 0.375 inches **Mounting Facility Quantity: Terminal Location:** 

Rear end

Mounting Method:
Unthreaded hole

Center To Center Distance Between Terminal Rows:
0.100 inches

## NSN 5905-00-858-3889

Nonprecision Wire Wound Variable Resistor - Page 2 of 2



## Electrical Resistance Per Section: 25.0 kilohms single section

**Center To Center Distance Between Center Terminal And Outside Terminal:** 

0.100 inches

Ambient Tempurature In Deg Celsius Per Section At Zero Percent Rated Power:

175.0 single section

Tempurature Coefficient Of Resistance Per Section In Ppm Per Deg Celsius:

-50.0/+50.0 single section

**Power Dissipation Rating Per Section In Watts:** 

0.8 free air single section

**Resistance Tolerance Per Section In Percent:** 

-5.0/+5.0 single section

Ambient Tempurature In Deg Celsius Per Section At Full Rated Power:

85.0 single section

**Standard Taper Curve Per Section:** 

A single section

**Terminal Type And Quantity:** 

3 pin

Shelf Life:

N/a

**Unit Of Measure:** 

Demilitarization:

No

Fiig:

A002a0