## NSN 5905-00-865-2552

Inductive Wire Wound Fixed Resistor - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5905-00-865-2552

Tempurature Coefficient Of Resistance In Ppm Per Deg Celsius:  -30.0/+30.0  Electrical Resistance:  7.500 kilohms  Resistance Tolerance In Percent:  -5.000/+5.000  Ambient Tempurature In Deg Celsius At Full Rated Power:  40.0  Ambient Tempurature In Deg Celsius At Zero Percent Rated Power:  340.0  Tempurature Range Of Tempurature Coefficient In Deg Celsius:  -55.0/+350.0  Inclosure Method:  Encapsulated  Terminal Type:  Wire lead  Reliability Indicator:  Not established  Terminal Length:  Between 1.370 inches and 1.620 inches  Body Diameter:  Between 0.170 inches and 0.230 inches
7.500 kilohms  Resistance Tolerance In Percent: -5.000/+5.000  Ambient Tempurature In Deg Celsius At Full Rated Power: 40.0  Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 340.0  Tempurature Range Of Tempurature Coefficient In Deg Celsius: -55.0/+350.0  Inclosure Method: Encapsulated  Terminal Type: Wire lead  Reliability Indicator: Not established  Terminal Length: Between 1.370 inches and 1.620 inches  Body Diameter:
Resistance Tolerance In Percent: -5.000/+5.000 Ambient Tempurature In Deg Celsius At Full Rated Power: 40.0 Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 340.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: -55.0/+350.0 Inclosure Method: Encapsulated Terminal Type: Wire lead Reliability Indicator: Not established Terminal Length: Between 1.370 inches and 1.620 inches Body Diameter:
-5.000/+5.000 Ambient Tempurature In Deg Celsius At Full Rated Power: 40.0 Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 340.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: -55.0/+350.0 Inclosure Method: Encapsulated Terminal Type: Wire lead Reliability Indicator: Not established Terminal Length: Between 1.370 inches and 1.620 inches Body Diameter:
Ambient Tempurature In Deg Celsius At Full Rated Power:  40.0  Ambient Tempurature In Deg Celsius At Zero Percent Rated Power:  340.0  Tempurature Range Of Tempurature Coefficient In Deg Celsius:  -55.0/+350.0  Inclosure Method:  Encapsulated  Terminal Type:  Wire lead  Reliability Indicator:  Not established  Terminal Length:  Between 1.370 inches and 1.620 inches  Body Diameter:
Ambient Tempurature In Deg Celsius At Zero Percent Rated Power:  340.0  Tempurature Range Of Tempurature Coefficient In Deg Celsius:  -55.0/+350.0  Inclosure Method: Encapsulated  Terminal Type: Wire lead  Reliability Indicator: Not established  Terminal Length: Between 1.370 inches and 1.620 inches  Body Diameter:
Ambient Tempurature In Deg Celsius At Zero Percent Rated Power:  340.0  Tempurature Range Of Tempurature Coefficient In Deg Celsius:  -55.0/+350.0  Inclosure Method:  Encapsulated  Terminal Type:  Wire lead  Reliability Indicator:  Not established  Terminal Length:  Between 1.370 inches and 1.620 inches  Body Diameter:
Tempurature Range Of Tempurature Coefficient In Deg Celsius: -55.0/+350.0 Inclosure Method: Encapsulated Terminal Type: Wire lead Reliability Indicator: Not established Terminal Length: Between 1.370 inches and 1.620 inches Body Diameter:
Tempurature Range Of Tempurature Coefficient In Deg Celsius: -55.0/+350.0 Inclosure Method: Encapsulated Terminal Type: Wire lead Reliability Indicator: Not established Terminal Length: Between 1.370 inches and 1.620 inches Body Diameter:
-55.0/+350.0 Inclosure Method: Encapsulated Terminal Type: Wire lead Reliability Indicator: Not established Terminal Length: Between 1.370 inches and 1.620 inches Body Diameter:
Inclosure Method: Encapsulated Terminal Type: Wire lead Reliability Indicator: Not established Terminal Length: Between 1.370 inches and 1.620 inches Body Diameter:
Encapsulated  Terminal Type: Wire lead  Reliability Indicator: Not established  Terminal Length: Between 1.370 inches and 1.620 inches  Body Diameter:
Terminal Type: Wire lead  Reliability Indicator: Not established  Terminal Length: Between 1.370 inches and 1.620 inches  Body Diameter:
Wire lead  Reliability Indicator:  Not established  Terminal Length:  Between 1.370 inches and 1.620 inches  Body Diameter:
Reliability Indicator: Not established Terminal Length: Between 1.370 inches and 1.620 inches Body Diameter:
Not established  Terminal Length:  Between 1.370 inches and 1.620 inches  Body Diameter:
Terminal Length:  Between 1.370 inches and 1.620 inches  Body Diameter:
Between 1.370 inches and 1.620 inches  Body Diameter:
Body Diameter:
Between 0.170 inches and 0.230 inches
Body Length:
Between 0.470 inches and 0.560 inches
Power Dissipation Rating In Watts:
3.000 free air
Style Designator:
Axial terminal each end
Test Data Document:
06481-922465 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.
excludes any specification, standard or other document that may be referenced in a basic governing drawing)
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A001a0