## NSN 5905-00-882-2832

Inductive Wire Wound Fixed Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-00-882-2832

Tempurature Coefficient Of Resistance In Ppm Per Deg Celsius:
-260.0/+260.0
Electrical Resistance:
2.700 kilohms
Resistance Tolerance In Percent:
-5.000/+5.000
Ambient Tempurature In Deg Celsius At Full Rated Power:
25.0
Ambient Tempurature In Deg Celsius At Zero Percent Rated Power:
350.0
Tempurature Range Of Tempurature Coefficient In Deg Celsius:
-55.0/+350.0
Inclosure Method:
Encapsulated
Terminal Type:
Tab, solder lug
Reliability Indicator:
Not established
Terminal Length:
0.532 inches
Body Length:
Between 1.188 inches and 1.312 inches
Body Width:
1.187 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:
Between 1.969 inches and 2.031 inches
Power Dissipation Rating In Watts:
21.000 free air
Terminal Width:
Between 0.172 inches and 0.265 inches
Mounting Hole Size:
Between 0.146 inches and 0.246 inches
Cubic Measure (non-core):
0.229 cubic inches
Unpackaged Unit Weight:
6.8 grams
Style Designator:
Terminals one edge
Test Data Document:
81349-mil-r-26 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format;
excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental

81349-mil-r-26/2 government specification

**Specification Data:** 

and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

## NSN 5905-00-882-2832

Inductive Wire Wound Fixed Resistor - Page 2 of 2



Shelf L	ife:
---------	------

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A001a0