## NSN 5905-00-882-3836

Composition Fixed Resistor - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5905-00-882-3836

1.000 kilohms  Resistance Tolerance In Percent: -10.000/+10.000  Ambient Tempurature In Deg Celsius At Full Rated Power: 40.0  Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 230.0  Inclosure Method: Encapsulated Terminal Type: Ferrule Reliability Indicator: Not established Terminal Length: 0.500 inches Body Diameter: 0.750 inches Body Length: 1.500 inches Power Dissipation Rating In Watts:
-10.000/+10.000 Ambient Tempurature In Deg Celsius At Full Rated Power: 40.0 Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 230.0 Inclosure Method: Encapsulated Terminal Type: Ferrule Reliability Indicator: Not established Terminal Length: 0.500 inches Body Diameter: 0.750 inches Body Length: 1.500 inches
Ambient Tempurature In Deg Celsius At Full Rated Power: 40.0 Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 230.0 Inclosure Method: Encapsulated Terminal Type: Ferrule Reliability Indicator: Not established Terminal Length: 0.500 inches Body Diameter: 0.750 inches Body Length: 1.500 inches
Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 230.0 Inclosure Method: Encapsulated Terminal Type: Ferrule Reliability Indicator: Not established Terminal Length: 0.500 inches Body Diameter: 0.750 inches Body Length: 1.500 inches
Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 230.0 Inclosure Method: Encapsulated Terminal Type: Ferrule Reliability Indicator: Not established Terminal Length: 0.500 inches Body Diameter: 0.750 inches Body Length: 1.500 inches
Inclosure Method: Encapsulated Terminal Type: Ferrule Reliability Indicator: Not established Terminal Length: 0.500 inches Body Diameter: 0.750 inches Body Length: 1.500 inches
Inclosure Method: Encapsulated Terminal Type: Ferrule Reliability Indicator: Not established Terminal Length: 0.500 inches Body Diameter: 0.750 inches Body Length: 1.500 inches
Encapsulated  Terminal Type: Ferrule  Reliability Indicator: Not established  Terminal Length: 0.500 inches  Body Diameter: 0.750 inches  Body Length: 1.500 inches
Terminal Type: Ferrule Reliability Indicator: Not established Terminal Length: 0.500 inches Body Diameter: 0.750 inches Body Length: 1.500 inches
Ferrule  Reliability Indicator:  Not established  Terminal Length: 0.500 inches  Body Diameter: 0.750 inches  Body Length: 1.500 inches
Reliability Indicator: Not established Terminal Length: 0.500 inches Body Diameter: 0.750 inches Body Length: 1.500 inches
Not established  Terminal Length: 0.500 inches  Body Diameter: 0.750 inches  Body Length: 1.500 inches
Terminal Length: 0.500 inches  Body Diameter: 0.750 inches  Body Length: 1.500 inches
0.500 inches  Body Diameter: 0.750 inches  Body Length: 1.500 inches
Body Diameter: 0.750 inches  Body Length: 1.500 inches
0.750 inches  Body Length: 1.500 inches
Body Length: 1.500 inches
1.500 inches
Power Dissination Rating In Watts:
Tower Dissipation Nating in Watts.
15.000 free air
Style Designator:
Axial terminal each end
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A001a0