NSN 5905-00-882-5335

Nonprecision Wire Wound Variable Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-00-882-5335

Section Quantity:
1
Body Style:
Rectangular w/mounting holes/slots
Reliability Indicator:
Not established
Overall Length:
1.472 inches
Overall Width:
0.284 inches
Mounting Hole Diameter:
Between 0.088 inches and 0.098 inches
Shaft Diameter:
0.110 inches
Shaft Length:
Between 0.057 inches and 0.067 inches
Body Length:
Between 1.245 inches and 1.255 inches
Body Width:
0.284 inches
Body Height:
0.328 inches
Shaft Style:
Round, slotted
Actuator Type:
Single shaft
Lateral Distance Between Mounting Hole Centers:
Between 0.995 inches and 1.005 inches
Mounting Facility Quantity:
2
Terminal Location:
Rear end
Mounting Method:
Unthreaded hole
Electrical Resistance Per Section:
20.0 kilohms single section
Ambient Tempurature In Deg Celsius Per Section At Zero Percent Rated Power:
140.0 single section
Power Dissipation Rating Per Section In Watts:
0.4 free air single section
Resistance Tolerance Per Section In Percent:
FO/FO circula postica

-5.0/+5.0 single section

NSN 5905-00-882-5335

Nonprecision Wire Wound Variable Resistor - Page 2 of 2



Ambie	nt Te	mpuratu	re In D	eg Ce	Isius F	Per S	ection	At Full	Rated	Power:

70.0 single section

Standard Taper Curve Per Section:

A single section

Terminal Type And Quantity:

2 tab, solder lug

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A002a0